

OVERALL FIRST FLOOR PLAN

SCALE: 1/2" = 1'-0"

①


GENERAL NOTES

- A. THE DRAWINGS SHALL SERVE TO AID THE CONTRACTOR IN THE EVALUATION OF THE EXTENT OF REMOVALS AND REPLACEMENT, BUT SHALL NOT BE HELD TO BE ALL INCLUSIVE.
- B. CUT, PATCH & REPAIR ALL OPENINGS WHERE REQUIRED TO ACCOMMODATE NEW DESIGN. PATCHING SHALL MATCH EXISTING CONSTRUCTION & FINISHES REMAINING. COORDINATE WITH CONSTRUCTION DOCUMENTS.
- C. DEMOLITION WORK SHALL INCLUDE REMOVAL OF ALL DESIGNATED PLUMBING FIXTURES, WALL TILE, FLOOR FINISHES, BASE, TOILET PARTITIONS, ACCESSORIES, SHELVING, BRACKETS, FASTENERS, ETC. WHERE DEMOLITION ACTIVITIES INVOLVE STRUCTURAL ELEMENTS, BEAMS, JOISTS, CPU BEARING WALLS ETC., DEMOLITION WORK SHALL BE CLOSELY COORDINATED WITH NEW CONSTRUCTION WORK. NO WORK SHALL COMMENCE WITHOUT ADEQUATE BRACING OR SHORING AS REQUIRED TO PREVENT MOVEMENT OR SETTLING IN THE EXISTING STRUCTURE.
- D. PRIOR TO COMMENCEMENT OF ANY DEMOLITION WORK, THE CONTRACTOR SHALL MEET WITH THE OWNER TO DETERMINE WHICH ITEMS, IF ANY, ARE OF SALVAGEABLE VALUE TO THE OWNER. THE CONTRACTOR IS ENCOURAGED TO ALSO DOCUMENT ANY EXISTING DAMAGE OR DEFICIENCIES, IN BOTH WRITTEN AND PHOTOGRAPHIC FORMS AS REQUIRED, WHICH ARE EVIDENT IN THE EXISTING BUILDING.
- E. ALL ITEMS DESIGNATED TO BE OF SALVAGEABLE VALUE TO THE OWNER SHALL BE REMOVED AS DIRECTED BY THE OWNER. ALL ITEMS DESIGNATED FOR DEMOLITION SHALL BECOME THE PROPERTY OF THE CONTRACTOR AND SHALL BE REMOVED COMPLETELY FROM THE SITE AND DISPOSED OF AS NECESSARY, IN ACCORDANCE WITH ALL REGULATIONS IN EFFECT.
- F. CONFORM TO APPLICABLE CODES FOR DEMOLITION WORK, SAFETY OF STRUCTURE AND DUST CONTROL. DO NOT CLOSE OR OBSTRUCT EGRESS TO EXITS. DO NOT DISRUPT BUILDING, FIRE, OR LIFE SAFETY SYSTEMS WITHOUT (3) DAYS PRIOR WRITTEN NOTICE TO THE OWNER.
- G. MAINTAIN TEMPORARY PARTITIONS TO PREVENT THE SPREAD OF DUST, ODORS, AND NOISE, AND TO PERMIT CONTINUED OWNER OCCUPANCY. PROTECT EXISTING MATERIALS WHICH ARE NOT TO BE DEMOLISHED.
- H. CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING AND PAYING FOR ALL PERMITS, APPROVALS, TESTING AND INSPECTIONS AS MAY BE REQUIRED BY THE DEPARTMENT OF BUILDINGS. CONTRACTOR SHALL OBTAIN AND PAY FOR ALL REQUIRED DEPARTMENT OF BUILDINGS PERMITS PRIOR TO THE START OF WORK. ALL PERMITS ISSUED BY THE DEPARTMENT OF BUILDINGS SHALL BE POSTED IN A CONSPICUOUS PLACE OPEN TO PUBLIC INSPECTION FOR THE ENTIRE TIME OF THE EXECUTION OF THE WORK OF THE USE AND OPERATION OF THE EQUIPMENT OR UNTIL THE EXPIRATION OF THE PERMIT.
- I. MEANS OF EGRESS SHALL BE KEPT UNOBSTRUCTED AT ALL TIMES.
- J. WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS. CONTRACTORS SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND NOTIFY ARCHITECTS OFFICE OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN BY THESE DOCUMENTS. ALL CONSTRUCTION, DIMENSIONS AND DETAILS SHALL CONCUR WITH AND BE DETERMINED FROM THESE DOCUMENTS ONLY.
- K. ALL CONTRACTORS SHALL BE RESPONSIBLE FOR ADEQUATELY BRACING AND PROTECTING ALL WORK DURING CONSTRUCTION AGAINST DAMAGE, BREAKAGE, COLLAPSE, DISTORTIONS AND OFF ALIGNMENT.
- L. EXISTING CONDITIONS/CONSTRUCTION DAMAGED OR REMOVED AS A RESULT OF WORK REQUIRED TO BE DONE UNDER THIS CONTRACT SHALL BE REPAIRED OR REPLACED TO ORIGINAL CONDITION AND FINISHED TO MATCH ADJACENT FINISHES BY THE CONTRACTOR.
- M. FILL ALL HOLES AND VOIDS IN FLOORS, WALLS, CEILINGS ETC. WHICH RESULT FROM INSTALLATION OF NEW WORK AND REMOVAL OF EXISTING MATERIALS AND EQUIPMENT REQUIRED BY CONTRACT. PATCHED AREAS SHALL MATCH MATERIALS, FINISHES AND LEVELS ADJACENT.
- N. THE WORK SHALL INCLUDE ALL THE MATERIAL AND LABOR NECESSARY TO COMPLETE DEMOLITION AND CONSTRUCTION AS SHOWN ON THESE DRAWINGS.
- O. ALL CONTRACTORS AND SUBCONTRACTORS SHALL BE RESPONSIBLE FOR THE PROPER PERFORMANCE OF THEIR WORK, COORDINATION WITH OTHER TRADES, METHODS, SAFETY AND SECURITY ON THE JOB SITE. THE ARCHITECT AND HIS AGENT ARE NOT RESPONSIBLE OR LIABLE FOR THE ABOVE AND SHALL BE HELD HARMLESS AND INDEMNIFIED BY ALL CONTRACTORS FROM ANY CLAIMS, LOSSES, SUITS, OR LEGAL ACTIONS ARISING FROM THE PERFORMANCE OF WORK ON THIS PROJECT.
- P. BEFORE START OF CONSTRUCTION, CONTRACTOR TO OBTAIN APPROVAL FROM BUILDING REPRESENTATIVES. ANY CONSTRUCTION INVOLVING INTERRUPTION OF BUILDING SERVICES MUST BE APPROVED AND COORDINATED WITH THE BUILDING REPRESENTATIVES BEFORE COMMENCEMENT OF WORK.
- Q. ALL MATERIALS TO BE USED IN CONSTRUCTION SHALL BE NEW AND SHALL BE SUPPLIED AND INSTALLED AS PER MANUFACTURER'S SPECIFICATIONS. CONTRACTOR SHALL VERIFY ALL DIMENSIONS PRIOR TO THE FABRICATION OF ANY AND ALL ITEMS.
- R. CONTRACTOR SHALL THOROUGHLY INSPECT PREMISES NOTING ALL AREAS OF WORK AND SHALL PRODUCE A NEAT ACCEPTABLE JOB. WHERE PARTIAL REMOVAL OR PATCH OCCURS, ENTIRE SURFACE SHALL BE REFINISHED WITH QUALITY WORKMANSHIP.
- S. REMOVE AND LEGALLY DISPOSE OF ALL TRASH AND DEBRIS FROM THE SITE. NO ACCUMULATION OF TRASH OR DEBRIS SHALL BE PERMITTED.
- T. CLOSE AND SEAL ALL OPENING IN WALLS, FLOORS, CEILING, ETC. REQUIRED BY CUTTING FOR NEW WORK TO MATCH EXISTING FINISHES AND FIRE RATINGS. FIRE SEAL AROUND ALL PIPES, DUCTS, CONDUITS, ETC. WHERE REQUIRED BY CODE.

Revisions		
No.	Date	Description

ALL REPORTS, PLANS, SPECIFICATIONS AND COMPUTER FILES RELATING TO THIS PROJECT ARE THE PROPERTY OF MANDERS MERIGHI PORTADIN FARRELL. MAMPF RETAINS ALL COMMON LAW, STATUTE AND OTHER RESERVED RIGHTS INCLUDING THE COPYRIGHT THEREOF. REPRODUCTION OF THE MATERIAL HEREIN OR SUBSTANTIAL USE WITHOUT WRITTEN PERMISSION OF MAMPF VIOLATES THE COPYRIGHT LAWS OF THE UNITED STATES AND WILL BE SUBJECT TO LEGAL PROSECUTION.

© 2017, MANDERS MERIGHI PORTADIN FARRELL ARCHITECTS, LLC




Manders Merighi Portadin Farrell Architects, LLC
 1138 East Chestnut Avenue | Vineland, New Jersey 08360
 p. 856 696 9155 | f. 856 696 9080 | www.mmpfa.com


David G. Manders AIA	AI-07220
Lawrence J. Merighi AIA	AI-07473
Ronald P. Portadin AIA	AI-13038
Peter W. Farrell AIA	AI-13618
Steven T. Graham AIA	AI-02011700
Charles Resgnose AIA	AI-0184900

Project
 ATLANTIC CITY BOARD OF EDUCATION
**UPTOWN SCHOOL
 COMPLEX - LOCKER
 ROOM RENOVATIONS**
 323 Madison Ave., Atlantic City, NJ 08401

Drawing
 GENERAL NOTES
 OVERALL FLOOR PLAN




Scale AS NOTED	Job 25,073	Sheet C1.0
Drawn RSM	Date 12/19/25	1 of 7



KEY PLAN

SCALE: 1/64" = 1'-0"



DEMOLITION PLAN - BOY'S LOCKER ROOM

SCALE: 1/2" = 1'-0"

KEY DEMOLITION / REMOVAL NOTES:


- 1 REMOVE ALL EXISTING GRAB BARS COMPLETELY, INCLUDING BUT NOT LIMITED TO ALL MOUNTING/ANCHORING HARDWARE; PATCH ALL EXIST. CONSTRUCTION DESIGNATED TO REMAIN AS REQUIRED.
- 2 REMOVE ALL EXISTING RECESSED/SURFACE MOUNTED TOILET TISSUE DISPENSERS, SANITARY NAPKIN DISPENSERS/DISPOSALS, PAPER TOWEL DISPENSERS, RECESSED/SURFACE MOUNTED LIQUID SOAP DISPENSERS, ETC. COMPLETELY INCLUDING BUT NOT LIMITED TO ALL MOUNTING/ANCHORING HARDWARE; PATCH ALL EXIST. CONSTRUCTION DESIGNATED TO REMAIN AS REQUIRED.
- 3 REMOVE ALL EXISTING MIRRORS COMPLETELY, INCLUDING BUT NOT LIMITED TO ALL MOUNTING/ANCHORING HARDWARE; PATCH ALL EXIST. DESIGNATED TO REMAIN AS REQUIRED.
- 4 REMOVE ALL EXISTING PARTITIONS COMPLETELY, INCLUDING BUT NOT LIMITED TO ALL MOUNTING/ANCHORING HARDWARE; PATCH ALL EXIST. CONSTRUCTION DESIGNATED TO REMAIN AS REQUIRED.
- 5 REMOVE WATER CLOSET COMPLETELY. REMOVE PLUMBING FIXTURE AND WALL CARRIER COMPLETELY. PREPARE WASTE, VENT, AND COLD WATER PIPING FOR NEW CONNECTION TO NEW FIXTURE. SEE PLUMBING DWGS. FOR ADDITIONAL INFO.
- 6 REMOVE URINAL COMPLETELY. REMOVE PLUMBING FIXTURE AND WALL CARRIER COMPLETELY. PREPARE WASTE, VENT, AND HOT AND COLD WATER PIPING FOR NEW CONNECTION TO NEW FIXTURE. SEE PLUMBING DWGS. FOR ADDITIONAL INFO.
- 7 REMOVE LAVATORY COMPLETELY. REMOVE PLUMBING FIXTURE AND WALL CARRIER COMPLETELY. PREPARE WASTE, VENT, AND HOT AND COLD WATER PIPING FOR NEW CONNECTIONS. SEE PLUMBING DWGS. FOR ADDITIONAL INFO.
- 8 REMOVE EXISTING FLOOR FINISH AND ASSOCIATED BASE COMPLETE AND AS REQUIRED FOR INSTALLATION OF NEW FINISHES; PATCH/PREP ALL EXIST. CONSTRUCTION DESIGNATED TO REMAIN AS REQUIRED PRIOR TO INSTALLATION. THIS INCLUDES GRINDING OF THE EXIST. EPOXY FLOORS AND REMOVING ANY EXCESS MORTAR AND GROUT.
- 9 REMOVE EXISTING FLOOR DRAIN AND SURROUNDING CONCRETE AS REQUIRED FOR NEW INSTALLATION OF NEW FLOOR DRAIN. SEE PLUMBING DWGS. FOR ADDITIONAL INFO.
- 10 REMOVE EXISTING LOCKERS IN THEIR ENTIRETY. PATCH AND PREPARE WALLS AND BASE AS REQUIRED FOR INSTALLATION OF NEW LOCKERS IN SIMILAR LOCATIONS.
- 11 REMOVE EXISTING BENCH IN ITS ENTIRETY. PATCH AND REPAIR FLOOR AS REQUIRED.
- 12 DEMOLISH EXISTING WALL MOUNTED SHOWER HEADS, ASSOCIATED HARDWARE, AND ENCASMENT COMPLETELY. PATCH AND REPAIR WALL AS REQUIRED FOR INSTALLATION OF NEW SHOWER FIXTURES. SEE PLUMBING DWGS. FOR ADDITIONAL INFO.
- 13 DEMOLISH EXISTING SHOWER IN ITS ENTIRETY INCLUDING BUT NOT LIMITED TO SHOWER HEAD, TILE, THRESHOLD, DRAIN AND ALL ASSOCIATED CONSTRUCTION. PATCH AND REPAIR ALL AFFECTED SURFACES AS REQUIRED FOR INSTALLATION OF NEW SHOWER FIXTURES AND FINISHES. SEE PLUMBING DWGS. FOR ADDITIONAL INFO.
- 14 REMOVE EXISTING CMU WALL CONSTRUCTION COMPLETE AND AS REQUIRED TO ACCOMMODATE NEW PLUMBING FIXTURES/PIPING. MATCH COURSING AND BONDING. TOOTH IN NEW CMU WHERE REQUIRED TO MAINTAIN APPEARANCE; SEE PLUMBING DWGS. FOR ADDITIONAL INFO.
- 15 REMOVE EXISTING WATER COOLER AND ALL ASSOCIATED HARDWARE AS REQUIRED FOR INSTALLATION OF NEW FIXTURE. SEE PLUMBING DWGS. FOR ADDITIONAL INFO.
- 16 REMOVE EXISTING DOOR, FRAME AND ASSOCIATED HARDWARE COMPLETE AND AS REQUIRED FOR INSTALLATION OF NEW DOOR AND FRAME.
- 17 REMOVE EXISTING DOOR AND ASSOCIATED HARDWARE, COMPLETE AND AS REQUIRED FOR INSTALLATION OF NEW DOOR; PREP/MODIFY EXISTING FRAME AS REQUIRED FOR INSTALLATION OF NEW HARDWARE.
- 18 REMOVE EXISTING BASEBOARD HEATER AND ALL ASSOCIATED HARDWARE; SEE ELECTRICAL DWGS. FOR ADDITIONAL INFO.
- 19 REMOVE EXISTING ACOUSTICAL TILE CEILING AND GRID SYSTEM COMPLETE AND AS REQUIRED FOR INSTALLATION OF NEW CEILING TILE AND GRID.
- 20 REMOVE AND REINSTALL EXISTING WALL MTD. ELECTRICAL HAND DRYER; PATCH ALL HOLES IN CMU PRIOR TO REINSTALLATION; ALL EXPOSED CONDUIT TO BE PAINTED THROUGHOUT (TYPICAL)
- 21 REMOVE EXIST. CMU WALL CONSTRUCTION; PATCH AND REPAIR ALL EXIST. CONSTRUCTION DESIGNATED TO REMAIN AS REQUIRED TO RECEIVE NEW FINISHES.

Revisions		
No.	Date	Description

- NOTES**
1. NEW PLUMBING FIXTURES TO BE INSTALLED IN THE SAME LOCATION AS EXISTING/ REMOVED PLUMBING FIXTURES UNLESS NOTED OTHERWISE. (TYPICAL); SEE FLOOR PLANS AND INTERIOR ELEVATIONS FOR ADDITIONAL INFORMATION.
 2. IN ALL AREAS OF DEMOLITION PATCH AND REPAIR EXISTING CONSTRUCTION DESIGNATED TO REMAIN AND PREP AS REQUIRED FOR INSTALLATION OF NEW FINISHES.
 3. PATCH AND REPAIR ALL GIB CEILINGS IN AREAS OF DEMOLITION AND THROUGHOUT AS REQUIRED TO RECEIVE NEW PAINT FINISH. COORDINATE WORK WITH THE INSTALLATION OF NEW LIGHT FIXTURES AND DIFFUSERS. SEE MEP DWGS. FOR ADDITIONAL INFO.
 4. G.C. TO REMOVE ALL SCREENS AND OTHER ITEMS EMBEDDED IN EXISTING WALLS, FILL ALL HOLES, AND PATCH/PREP CMU PRIOR TO PAINTING.
 5. EXISTING CONCRETE LOCKER BASES TO BE REUSED FOR INSTALLATION OF NEW METAL LOCKERS; PATCH AND LEVEL AS REQUIRED PRIOR TO INSTALLATION.
 6. GRIND EXISTING EPOXY FLOORS AND PREP CONCRETE SLAB ON GRADE AS REQUIRED FOR INSTALLATION OF NEW EPOXY FLOORS; SEE EPOXY FLOOR MANUFACTURER'S RECOMMENDATIONS/ INSTRUCTIONS AND SPECIFICATIONS FOR ADDITIONAL INFO.
 7. REMOVE EXISTING EPOXY BASE AS REQUIRED FOR INSTALLATION OF NEW EPOXY BASE; SEE EPOXY MANUFACTURER'S RECOMMENDATIONS/INSTRUCTIONS AND SPECIFICATIONS FOR ADDITIONAL INFO.

ALL REPORTS, PLANS, SPECIFICATIONS AND COMPUTER FILES RELATING TO THIS PROJECT ARE THE PROPERTY OF MANDERS MERIGHI PORTADIN FARRELL. MAMPF RETAINS ALL COMMON LAW, STATUTE AND OTHER RESERVED RIGHTS INCLUDING THE COPYRIGHT THEREOF. REPRODUCTION OF THE MATERIAL HEREIN OR SUBSTANTIAL USE WITHOUT WRITTEN PERMISSION OF MAMPF VIOLATES THE COPYRIGHT LAWS OF THE UNITED STATES AND WILL BE SUBJECT TO LEGAL PROSECUTION.

© 2017, MANDERS MERIGHI PORTADIN FARRELL ARCHITECTS, LLC




Manders Merighi Portadin Farrell Architects, LLC
 1138 East Chestnut Avenue | Vineland, New Jersey 08360
 p. 856.696.9155 | f. 856.696.9080 | www.mmpfa.com


David G. Manders AIA	AI-07220
Lawrence J. Merighi AIA	AI-07473
Ronald P. Portadin AIA	AI-13038
Peter W. Farrell AIA	AI-13618
Steven T. Graham AIA	AI-02011700
Charles Regonese AIA	AI-0184900

Project
 ATLANTIC CITY BOARD OF EDUCATION
**UPTOWN SCHOOL
 COMPLEX - LOCKER
 ROOM RENOVATION**
 323 Madison Ave., Atlantic City,
 NJ 08401

Drawing
 ENLARGED BOY'S
 LOCKER ROOM
 DEMOLITION PLAN
 NOTES


Scale	Job	Sheet
AS NOTED	25_073	A1.0
Drawn	Date	2 of 7
RSM	12/19/25	





KEY PLAN

SCALE: 1/64" = 1'-0"



PROPOSED PLAN - BOY'S LOCKER ROOM

SCALE: 1/2" = 1'-0"

BOY'S LOCKER ROOM-DOOR SCHEDULE

NO.	DOOR			FRAME								REMARKS	NO.		
	WIDTH	HEIGHT	THK.	TYPE	MATERIAL	FINISH	WALL TYPE	FRAME TYPE	MATERIAL	FINISH	HEAD HEIGHT			HWD	SET
B1	3'-0"	8'-0"	1 3/4"	L2	HOL. MTL	MFR	CMU	1	HOL. METAL	PTD	4"		1		B1
B2	2'-8"	6'-10"	1 3/4"	HL	HOL. MTL	MFR	CMU	EXISTING	HOL. METAL	PTD	2"		1		B2
B3	2'-8"	6'-10"	1 3/4"	F	HOL. MTL	MFR	CMU	EXISTING	HOL. METAL	PTD	2"		3		B3
B4	2'-4"	6'-10"	1 3/4"	F	HOL. MTL	MFR	CMU	EXISTING	HOL. METAL	PTD	2"		2		B4
B5	3'-0"	6'-10"	1 3/4"	F	HOL. MTL	MFR	CMU	EXISTING	HOL. METAL	PTD	2"		3		B5
B6	3'-0"	6'-8"	1 3/4"	F	HOL. MTL	MFR	GWB	2	HOL. METAL	PTD	2"		1		B6

- NOTES
- G.C. TO CONFIRM ALL DOOR AND FRAME SIZES/DIMENSIONS PRIOR TO PROCEEDING WITH THE WORK.
 - G.C. TO CONFIRM FRAME DEPTH PRIOR TO PROCEEDING WITH THE WORK.
 - G.C. TO CONFIRM DOOR TYPE AND SIZE OF GLAZING PRIOR TO PROCEEDING WITH THE WORK. GLAZING TO BE 1/4" THK TEMPERED SAFETY GLASS UNLESS NOTED OTHERWISE.
 - ALL EXISTING DOOR FRAMES DESIGNATED TO REMAIN ARE TO BE PREPARED AND PAINTED.

BOY'S LOCKER ROOM-FINISH SCHEDULE


ROOM NAME	FLOOR	BASE	WALL	CLG.	HEIGHT	REMARKS
BOY'S P.E. OFFICE	EPOXY	EPOXY	PTD. CMU	ACOUST. TILE		MATCH EX'G
CLOSET	EPOXY	EPOXY	PTD. CMU	ACOUST. TILE		MATCH EX'G
OFFICE T.R.	EPOXY	EPOXY	PTD. CMU	ACOUST. TILE		MATCH EX'G
STORAGE	EPOXY	EPOXY	PTD. CMU	ACOUST. TILE		MATCH EX'G
BOY'S TOILET ROOM	EPOXY	EPOXY	PTD. CMU			MATCH EX'G
BOY'S LOCKER ROOM	EPOXY	EPOXY	PTD. CMU			MATCH EX'G
BOY'S DRYING AREA	PORC. TILE	GER. TILE	PTD. CMU			MATCH EX'G
BOY'S SHOWER ROOM	PORC. TILE	GER. TILE	PTD. CMU			MATCH EX'G
HALLWAY	EPOXY	EPOXY	PTD. CMU			MATCH EX'G

- NOTES
- PROVIDE INTEGRAL 4" HIGH EPOXY BASE IN ALL AREAS RECEIVING EPOXY FLOORING

BOY'S LOCKER ROOM-ACCESSORY SCHEDULE


ROOM NAME	B1	B2	B3	M1	N1	T1	S1	P1	C1	C2	C3
	GRAB BARS B5806.99 18" 36" 42"	MIRROR B290-2436	SANITARY NAPKIN DISPOSAL B-254	TOILET TISSUE DISPENSER B-2892	HAND SOAP DISPENSER B-2111	PAPER TOWEL DISPENSER B-2860	SHOWER CURTAIN ROD B-6107	SHOWER CURTAIN B-204-2	SHOWER CURTAIN HOOKS B-204-1		
BOY'S T.R.	(1)	(1)	(1)	(3)	(-)	(1)	(2)	(1)	(-)	(-)	(-)
BOY'S P.E. OFFICE	(-)	(-)	(-)	(1)	(-)	(1)	(1)	(1)	(-)	(-)	(-)
OFFICE T.R.	(-)	(-)	(-)	(-)	(-)	(1)	(-)	(-)	(1)	(1)	(1)

- GENERAL NOTES:
- LISTED ACCESSORY MODEL NOS ARE BY "BOBRICK" STAINLESS STEEL W/ SATIN FINISH (GRAB BARS PEENED), U.N.O.
 - CONTRACTOR TO VERIFY QUANTITIES BEFORE ORDERING.
 - ALL ACCESSORIES PROVIDED BY OWNER ARE TO BE INSTALLED BY THE GENERAL CONTRACTOR.
 - GENERAL CONTRACTOR TO CONFIRM THE LOCATION OF ALL ACCESSORIES OTHER THAN GRAB BARS WITH OWNER PRIOR TO INSTALLATION.



DOOR & FRAME TYPES

SCALE: 1/4" = 1'-0"



SHOWER DETAIL

SCALE: 1/2" = 1'-0"

Revisions

No.	Date	Description

- NOTES**
- NEW PLUMBING FIXTURES TO BE INSTALLED IN THE SAME LOCATION AS EXISTING/ REMOVED PLUMBING FIXTURES UNLESS NOTED OTHERWISE. (TYPICAL). SEE FLOOR PLANS AND INTERIOR ELEVATIONS FOR ADDITIONAL INFORMATION.
 - G.C. TO CONFIRM SIZE OF CUSTOM SOLID SURFACE SHOWER BASE PRIOR TO ORDERING. SEE PLUMBING DWGS FOR ADDITIONAL INFO.
 - SEE PLUMBING DWGS FOR ADDITIONAL INFORMATION ON ALL FLOOR DRAINS, FIXTURE LOCATIONS, ETC.

ALL REPORTS, PLANS, SPECIFICATIONS AND COMPUTER FILES RELATING TO THIS PROJECT ARE THE PROPERTY OF MANDERS MERIGHI PORTADIN FARRELL ARCHITECTS, LLC. REPRODUCTION OF THE MATERIAL HEREIN OR SUBSTANTIAL USE WITHOUT WRITTEN PERMISSION OF MANDERS MERIGHI PORTADIN FARRELL ARCHITECTS, LLC IS PROHIBITED. © 2017, MANDERS MERIGHI PORTADIN FARRELL ARCHITECTS, LLC.



Manders Merighi Portadin Farrell Architects, LLC
1138 East Chestnut Avenue | Vineland, New Jersey 08360
p. 856.696.9155 | f. 856.696.9080 | www.mmpfa.com

David G. Manders AIA AI-07220
Lawrence J. Merighi AIA AI-07473
Ronald P. Portadin AIA AI-15038
Peter W. Farrell AIA AI-13618
Steven T. Graham AIA AI-02011700
Charles Resonose AIA AI-0184900

Project
ATLANTIC CITY BOARD OF EDUCATION
UPTOWN SCHOOL
COMPLEX - LOCKER ROOM RENOVATION
323 Madison Ave., Atlantic City, NJ 08401

Drawing
ENLARGED BOY'S LOCKER ROOM PLAN SCHEDULES DOOR/FRAME TYPES


Scale
AS NOTED

Job
25,073

Sheet
A1.1
3 of 7

Drawn
RSM


Date
12/19/25



DEMOLITION PLAN - GIRL'S LOCKER ROOM

SCALE: 1/2" = 1'-0"

1



KEY PLAN

SCALE: 1/64" = 1'-0"

- 1 REMOVE ALL EXISTING GRAB BARS COMPLETELY, INCLUDING BUT NOT LIMITED TO ALL MOUNTING/ANCHORING HARDWARE; PATCH ALL EXIST. CONSTRUCTION DESIGNATED TO REMAIN AS REQUIRED.
- 2 REMOVE ALL EXISTING RECESSED/SURFACE MOUNTED TOILET TISSUE DISPENSERS, SANITARY NAPKIN DISPENSERS/DISPOSALS, PAPER TOWEL DISPENSERS, RECESSED/SURFACE MOUNTED LIQUID SOAP DISPENSERS, ETC. COMPLETELY INCLUDING BUT NOT LIMITED TO ALL MOUNTING/ANCHORING HARDWARE; PATCH ALL EXIST. CONSTRUCTION DESIGNATED TO REMAIN AS REQUIRED.
- 3 REMOVE ALL EXISTING MIRRORS COMPLETELY, INCLUDING BUT NOT LIMITED TO ALL MOUNTING/ANCHORING HARDWARE; PATCH ALL EXIST. DESIGNATED TO REMAIN AS REQUIRED.
- 4 REMOVE ALL EXISTING PARTITIONS COMPLETELY, INCLUDING BUT NOT LIMITED TO ALL MOUNTING/ANCHORING HARDWARE; PATCH ALL EXIST. CONSTRUCTION DESIGNATED TO REMAIN AS REQUIRED.
- 5 REMOVE WATER CLOSET COMPLETELY. REMOVE PLUMBING FIXTURE AND WALL CARRIER COMPLETELY. PREPARE WASTE, VENT, AND COLD WATER PIPING FOR NEW CONNECTION TO NEW FIXTURE. SEE PLUMBING DWGS. FOR ADDITIONAL INFO.
- 6 REMOVE URINAL COMPLETELY. REMOVE PLUMBING FIXTURE AND WALL CARRIER COMPLETELY. PREPARE WASTE, VENT, AND COLD WATER PIPING FOR NEW CONNECTION TO NEW FIXTURE. SEE PLUMBING DWGS. FOR ADDITIONAL INFO.
- 7 REMOVE LAVATORY COMPLETELY. REMOVE PLUMBING FIXTURE AND WALL CARRIER COMPLETELY. PREPARE WASTE, VENT, AND HOT AND COLD WATER PIPING FOR NEW CONNECTIONS. SEE PLUMBING DWGS. FOR ADDITIONAL.
- 8 REMOVE EXISTING FLOOR FINISH AND ASSOCIATED BASE COMPLETE AND AS REQUIRED FOR INSTALLATION OF NEW FINISHES; PATCH/PREP ALL EXIST. CONSTRUCTION DESIGNATED TO REMAIN AS REQUIRED PRIOR TO INSTALLATION. THIS INCLUDES GRINDING OF THE EXIST EPOXY FLOORS AND REMOVING ANY EXCESS MORTAR AND GROUT.
- 9 REMOVE EXISTING FLOOR DRAIN AND SURROUNDING CONCRETE AS REQUIRED FOR NEW INSTALLATION OF NEW FLOOR DRAIN. SEE PLUMBING DWGS. FOR ADDITIONAL INFO.
- 10 REMOVE EXISTING LOCKERS IN THEIR ENTIRETY. PATCH AND PREPARE WALLS AND BASE AS REQUIRED FOR INSTALLATION OF NEW LOCKERS IN SIMILAR LOCATIONS.
- 11 REMOVE EXISTING BENCH IN ITS ENTIRETY. PATCH AND REPAIR FLOOR AS REQUIRED.
- 12 DEMOLISH EXISTING WALL MOUNTED SHOWER HEADS, ASSOCIATED HARDWARE, AND ENCASMENT COMPLETELY. PATCH AND REPAIR WALL AS REQUIRED FOR INSTALLATION OF NEW SHOWER FIXTURES. SEE PLUMBING DWGS. FOR ADDITIONAL INFO.
- 13 DEMOLISH EXISTING SHOWER IN ITS ENTIRETY INCLUDING BUT NOT LIMITED TO SHOWER HEAD, TILE, THRESHOLD, DRAIN AND ALL ASSOCIATED CONSTRUCTION. PATCH AND REPAIR ALL AFFECTED SURFACES AS REQUIRED FOR INSTALLATION OF NEW SHOWER FIXTURES AND FINISHES. SEE PLUMBING DWGS. FOR ADDITIONAL INFO.
- 14 REMOVE EXISTING CMU WALL CONSTRUCTION COMPLETE AND AS REQUIRED TO ACCOMMODATE NEW PLUMBING FIXTURES/PIPING. MATCH COURSING AND BONDING; TOOTH IN NEW CMU WHERE REQUIRED TO MAINTAIN APPEARANCE; SEE PLUMBING DWGS. FOR ADDITIONAL INFO.
- 15 REMOVE EXISTING WATER COOLER AND ALL ASSOCIATED HARDWARE AS REQUIRED FOR INSTALLATION OF NEW FIXTURE. SEE PLUMBING DWGS. FOR ADDITIONAL INFO.
- 16 REMOVE EXISTING DOOR, FRAME AND ASSOCIATED HARDWARE COMPLETE AND AS REQUIRED FOR INSTALLATION OF NEW DOOR AND FRAME.
- 17 REMOVE EXISTING DOOR AND ASSOCIATED HARDWARE, COMPLETE AND AS REQUIRED FOR INSTALLATION OF NEW DOOR; PREP/MODIFY EXISTING FRAME AS REQUIRED FOR INSTALLATION OF NEW HARDWARE.
- 18 REMOVE EXISTING BASEBOARD HEATER AND ALL ASSOCIATED HARDWARE; SEE ELECTRICAL DWGS. FOR ADDITIONAL INFO.
- 19 REMOVE EXISTING ACoustICAL TILE CEILING AND GRID SYSTEM COMPLETE AND AS REQUIRED FOR INSTALLATION OF NEW CEILING TILE AND GRID.
- 20 REMOVE AND REINSTALL EXISTING WALL MTD. ELECTRICAL HAND DRYER; PATCH ALL HOLES IN CMU PRIOR TO REINSTALLATION; ALL EXPOSED CONDUIT TO BE PAINTED THROUGHOUT (TYPICAL).
- 21 REMOVE EXIST. CMU WALL CONSTRUCTION; PATCH AND REPAIR ALL EXIST. CONSTRUCTION DESIGNATED TO REMAIN AS REQUIRED TO RECEIVE NEW FINISHES.
- 22 REMOVE EXIST. CMU WALL CONSTRUCTION; PATCH AND REPAIR ALL EXIST. CONSTRUCTION DESIGNATED TO REMAIN AS REQUIRED TO RECEIVE NEW FINISHES.

Revisions		
No.	Date	Description

NOTES

1. NEW PLUMBING FIXTURES TO BE INSTALLED IN THE SAME LOCATION AS EXISTING/REMOVED PLUMBING FIXTURES UNLESS NOTED OTHERWISE. (TYPICAL); SEE FLOOR PLANS AND INTERIOR ELEVATIONS FOR ADDITIONAL INFORMATION.
2. IN ALL AREAS OF DEMOLITION PATCH AND REPAIR EXISTING CONSTRUCTION DESIGNATED TO REMAIN AND PREP AS REQUIRED FOR INSTALLATION OF NEW FINISHES.
3. PATCH AND REPAIR ALL GNB CEILINGS IN AREAS OF DEMOLITION AND THROUGHOUT AS REQUIRED TO RECEIVE NEW PAINT FINISH. COORDINATE WORK WITH THE INSTALLATION OF NEW LIGHT FIXTURES AND DIFFUSERS. SEE MEP DWGS. FOR ADDITIONAL INFO.
4. G.C. TO REMOVE ALL SCREENS AND OTHER ITEMS EMBEDDED IN EXISTING WALLS, FILL ALL HOLES AND PATCH/PREP CMU PRIOR TO PAINTING.
5. EXISTING CONCRETE LOCKER BASES TO BE REUSED FOR INSTALLATION OF NEW METAL LOCKERS; PATCH AND LEVEL AS REQUIRED PRIOR TO INSTALLATION.
6. GRIND EXISTING EPOXY FLOORS AND PREP CONCRETE SLAB ON GRADE AS REQUIRED FOR INSTALLATION OF NEW EPOXY FLOORS; SEE EPOXY FLOOR MANUFACTURER'S RECOMMENDATIONS/INSTRUCTIONS AND SPECIFICATIONS FOR ADDITIONAL INFO.
7. REMOVE EXISTING EPOXY BASE AS REQUIRED FOR INSTALLATION OF NEW EPOXY BASE; SEE EPOXY MANUFACTURER'S RECOMMENDATIONS/INSTRUCTIONS AND SPECIFICATIONS FOR ADDITIONAL INFO.

ALL REPORTS, PLANS, SPECIFICATIONS AND COMPUTER FILES RELATING TO THIS PROJECT ARE THE PROPERTY OF MANDERS MERIGHI PORTADIN FARRELL ARCHITECTS, LLC. REPRODUCTION OF THE MATERIAL HEREIN OR SUBSTANTIAL USE WITHOUT WRITTEN PERMISSION OF MAMPF VIOLATES THE COPYRIGHT LAWS OF THE UNITED STATES AND WILL BE SUBJECT TO LEGAL PROSECUTION.

© 2017, MANDERS MERIGHI PORTADIN FARRELL ARCHITECTS, LLC




Manders Merighi Portadin Farrell Architects, LLC
1138 East Chestnut Avenue | Vineland, New Jersey 08360
p. 856.696.9155 | f. 856.696.9080 | www.mmpfa.com

David G. Manders AIA	AI-07220
Lawrence J. Merighi AIA	AI-07473
Ronald P. Portadin AIA	AI-13038
Peter W. Farrell AIA	AI-13618
Steven T. Graham AIA	AI-02011700
Charles Resonose AIA	AI-0184900


Project
ATLANTIC CITY BOARD OF EDUCATION
**UPTOWN SCHOOL
COMPLEX - LOCKER
ROOM RENOVATION**
323 Madison Ave., Atlantic City,
NJ 08401

Drawing
ENLARGED GIRL'S
LOCKER ROOM
DEMOLITION PLAN
NOTES

Scale	Job	Sheet
AS NOTED	25,073	A1.2
Drawn	Date	4 of 7
RSM	12/19/25	



PROPOSED PLAN - GIRL'S LOCKER ROOM
SCALE: 1/2" = 1'-0"



KEY PLAN
SCALE: 1/64" = 1'-0"


GIRL'S LOCKER ROOM-DOOR SCHEDULE													
NO.	DOOR			MATERIAL		FINISH	WALL TYPE	FRAME TYPE		FRAME		REMARKS	NO.
	WIDTH	HEIGHT	THK.	TYPE	MATERIAL			FINISH	HEAD	HEIGHT	HW		
G1	3'-0"	8'-0"	1 3/4"	L2	HOL. MTL.	MFR	CMU	1	HOL. METAL	PTD.	4"	1	G1
G2	3'-0"	6'-8"	1 3/4"	F	HOL. MTL.	MFR	GMB	2	HOL. METAL	PTD.	2"	1	G2
G3	3'-0"	6'-10"	1 3/4"	F	HOL. MTL.	MFR	CMU	EXISTING	HOL. METAL	PTD.	2"	3	G3
G4	2'-8"	6'-10"	1 3/4"	F	HOL. MTL.	MFR	CMU	EXISTING	HOL. METAL	PTD.	2"	3	G4
G5	2'-8"	6'-10"	1 3/4"	HL	HOL. MTL.	MFR	CMU	EXISTING	HOL. METAL	PTD.	2"	1	G5
G6	2'-4"	6'-10"	1 3/4"	F	HOL. MTL.	MFR	CMU	EXISTING	HOL. METAL	PTD.	2"	2	G6

- NOTES:
 1. G.C. TO CONFIRM ALL DOOR AND FRAME SIZES/DIMENSIONS PRIOR TO PROCEEDING WITH THE WORK.
 2. G.C. TO CONFIRM FRAME DEPTH PRIOR TO PROCEEDING WITH THE WORK.
 3. G.C. TO CONFIRM DOOR TYPE AND SIZE OF GLAZING PRIOR TO PROCEEDING WITH THE WORK.
 GLAZING TO BE 1/4" THK TEMPERED SAFETY GLASS UNLESS NOTED OTHERWISE.
 4. ALL EXISTING DOOR FRAMES DESIGNATED TO REMAIN ARE TO BE PREPPED AND PAINTED.

GIRL'S LOCKER ROOM FINISH SCHEDULE						
ROOM NAME	FLOOR	BASE	WALL	CLG.	HEIGHT	REMARKS
GIRL'S TOILET ROOM	EPOXY	EPOXY	PTD. CMU	PTD. GNB	MATCH EX'G	
GIRL'S LOCKER ROOM	EPOXY	EPOXY	PTD. CMU	PTD. GNB	MATCH EX'G	
GIRL'S SHOWER ROOM	PORC. TILE	CER. TILE	PTD. CMU	PTD. GNB	MATCH EX'G	
STORAGE	EPOXY	EPOXY	PTD. CMU	ACOUST. TILE	MATCH EX'G	
GIRL'S P.E.	EPOXY	EPOXY	PTD. CMU	ACOUST. TILE	MATCH EX'G	
CLOSET	EPOXY	EPOXY	PTD. CMU	ACOUST. TILE	MATCH EX'G	
OFFICE T.R.	EPOXY	EPOXY	PTD. CMU	ACOUST. TILE	MATCH EX'G	
HALLWAY	EPOXY	EPOXY	PTD. CMU	ACOUST. TILE	MATCH EX'G	

GIRL'S TOILET LOCKER ROOM ACCESSORY SCHEDULE											
ROOM NAME	GRAB BARS			M1	N1	T1	S1	P1	C1	C2	C3
	B1	B2	B3	MIRROR	SANITARY NAPKIN DISPOSAL	TOILET TISSUE DISPENSER	HAND SOAP DISPENSER	PAPER TOWEL DISPENSER	SHOWER CURTAIN ROD	SHOWER CURTAIN	SHOWER CURTAIN HOOKS
GIRL'S TR	(1)	(1)	(1)	(3)	(2)	(2)	(2)	(1)	(-)	(-)	(-)
GIRL'S P.E. OFFICE	(-)	(-)	(-)	(1)	(-)	(1)	(1)	(1)	(-)	(-)	(-)
GIRL'S P.E. TR.	(-)	(-)	(-)	(-)	(-)	(1)	(-)	(-)	(1)	(1)	(1)
GIRL'S SHOWER	(-)	(-)	(-)	(-)	(-)	(-)	(-)	(-)	(9)	(9)	(9)

- GENERAL NOTES:
 • LISTED ACCESSORY MODEL NOS ARE BY 'BOBRICK' STAINLESS STEEL W/ SATIN FINISH (GRAB BARS PEENED), U.N.O.
 • CONTRACTOR TO VERIFY QUANTITIES BEFORE ORDERING.
 • ALL ACCESSORIES PROVIDED BY OWNER ARE TO BE INSTALLED BY THE GENERAL CONTRACTOR; PROVIDE WOOD BLOCKING AS REQUIRED FOR THE SUPPORT OF ALL ACCESSORIES.
 • GENERAL CONTRACTOR TO CONFIRM THE LOCATION OF ALL ACCESSORIES OTHER THAN GRAB BARS WITH OWNER PRIOR TO INSTALLATION.




DOOR & FRAME TYPES
SCALE: 1/4" = 1'-0"

Revisions		
No.	Date	Description

- NOTES**
- NEW PLUMBING FIXTURES TO BE INSTALLED IN THE SAME LOCATION AS EXISTING/ REMOVED PLUMBING FIXTURES UNLESS NOTED OTHERWISE (TYPICAL); SEE FLOOR PLANS AND INTERIOR ELEVATIONS FOR ADDITIONAL INFORMATION.
 - G.C. TO CONFIRM SIZE OF CUSTOM SOLID SURFACE SHOWER BASE PRIOR TO ORDERING. SEE PLUMBING DWGS FOR ADDITIONAL INFO.
 - SEE PLUMBING DWGS FOR ADDITIONAL INFORMATION ON ALL FLOOR DRAINS, FIXTURE LOCATIONS, ETC.

ALL REPORTS, PLANS, SPECIFICATIONS AND COMPUTER FILES RELATING TO THIS PROJECT ARE THE PROPERTY OF MANDERS MERIGHI PORTADIN FARRELL ARCHITECTS, LLP. REPRODUCTION OF THE MATERIAL HEREIN OR SUBSTANTIAL USE WITHOUT WRITTEN PERMISSION OF MAMPF VIOLATES THE COPYRIGHT LAWS OF THE UNITED STATES AND WILL BE SUBJECT TO LEGAL PROSECUTION.

© 2017, MANDERS MERIGHI PORTADIN FARRELL ARCHITECTS, LLP.



Manders Merighi Portadin Farrell Architects, LLC
 1138 East Chestnut Avenue | Vineland, New Jersey 08360
 p. 856.696.9155 | f. 856.696.9080 | www.mmpf.com










David G. Manders AIA AI-07220
 Lawrence J. Merighi AIA AI-07473
 Ronald P. Portadin AIA AI-13038
 Peter W. Farrell AIA AI-13618
 Steven T. Graham AIA AI-02011700
 Charles Responese AIA AI-0184900

Project
**ATLANTIC CITY BOARD OF EDUCATION
 UPTOWN SCHOOL
 COMPLEX - LOCKER
 ROOM RENOVATION**
 323 Madison Ave., Atlantic City, NJ 08401

Drawing
 ENLARGED GIRL'S LOCKER ROOM PLAN SCHEDULES DOOR/FRAME TYPES

Scale Job Sheet
 AS NOTED 25,073 **A13**

Drawn Date
 RSM 12/19/25 5 of 7



Revisions		
No.	Date	Description

- NOTES**
- PATCH/REPAIR EXISTING GHB CEILINGS THROUGHOUT; SEE MECH. AND ELECT. DWGS. FOR LOCATIONS OF ALL NEW DIFFUSERS AND LIGHT FIXTURES.
 - PATCH AND PREP EXISTING CMU WALL CONSTRUCTION AS REQUIRED FOR INSTALLATION OF NEW WALL TILE AT SHOWERS; REMOVE PAINT AND ABRASE SURFACE IN ACCORDANCE WITH TILE MANUFACTURER'S COMMENDATIONS; EXTEND TILE TO FLOOR PRIOR TO INSTALLATION OF NEW SHOWER BASE.
 - REMOVE ALL SCREENS FASTENERS AND OTHER ITEMS FROM EXIST. CMU WALLS AND FILL ALL HOLES, CRACKS, ETC. PRIOR TO PAINTING.
 - ALL EXPOSED CONDUIT RACEWAY AND DUCTWORK, NEW OR EXISTING IS TO BE PREPPED AND PAINTED (TYP.)

ALL REPORTS, PLANS, SPECIFICATIONS AND COMPUTER FILES RELATING TO THIS PROJECT ARE THE PROPERTY OF MANDERS MERIGHI PORTADIN FARRELL. MAMPF RETAINS ALL COMMON LAW, STATUTE AND OTHER RESERVED RIGHTS INCLUDING THE COPYRIGHT THEREIN. REPRODUCTION OF THE MATERIAL HEREIN OR SUBSTANTIAL USE WITHOUT WRITTEN PERMISSION OF MAMPF VIOLATES THE COPYRIGHT LAWS OF THE UNITED STATES AND WILL BE SUBJECT TO LEGAL PROSECUTION.




Manders Merighi Portadin Farrell Architects, LLC
1138 East Chestnut Avenue | Vineland, New Jersey 08360
p. 856.696.9155 | f. 856.696.9080 | www.mmpfa.com

David G. Manders AIA AI-07220
Lawrence J. Merighi AIA AI-07473
Ronald P. Portadin AIA AI-13038
Peter W. Farrell AIA AI-13618
Steven T. Graham AIA AI-02011700
Charles Rogoske AIA AI-0184900

Project
ATLANTIC CITY BOARD OF EDUCATION
UPTOWN SCHOOL COMPLEX - LOCKER ROOM RENOVATION
323 Madison Ave., Atlantic City, NJ 08401


Drawing		
INTERIOR ELEVATIONS DETAIL		
Scale	Job	Sheet
AS NOTED	25,073	A1.4
Drawn	Date	6 of 7
RSM	12/19/25	



REFLECTED CEILING - BOY'S TOILET ROOM

SCALE: 1/4" = 1'-0"


①



REFLECTED CEILING PLAN - GIRL'S TOILET ROOM

SCALE: 1/4" = 1'-0"

②



KEY PLAN

SCALE: 1/64" = 1'-0"


Revisions		
No.	Date	Description

NOTES

1. PATCH/REPAIR EXISTING GNB CEILINGS THROUGHOUT; SEE MECH. AND ELECT. DWGS. FOR ADDITIONAL INFORMATION ON LIGHT FIXTURE LOCATIONS OF ALL NEW DIFFUSERS.
2. NEW ACOUSTICAL TILE CEILING HEIGHT TO MATCH EXISTING (TYPICAL).
3. ALL EXISTING CEILING ACCESS PANELS THROUGHOUT TO BE PREPPED AND PAINTED.

ALL REPORTS, PLANS, SPECIFICATIONS AND COMPUTER FILES RELATING TO THIS PROJECT ARE THE PROPERTY OF MANDERS MERIGHI PORTADIN FARRELL. MAMPF RETAINS ALL COMMON LAW, STATUTE AND OTHER RESERVED RIGHTS INCLUDING THE COPYRIGHT THEREIN. REPRODUCTION OF THE MATERIAL HEREIN OR SUBSTANTIAL USE WITHOUT WRITTEN PERMISSION OF MAMPF VIOLATES THE COPYRIGHT LAWS OF THE UNITED STATES AND WILL BE SUBJECT TO LEGAL PROSECUTION.

© 2017, MANDERS MERIGHI PORTADIN FARRELL ARCHITECTS, LLC




Manders Merighi Portadin Farrell Architects, LLC
 1138 East Chestnut Avenue | Vineland, New Jersey 08360
 p. 856 696 9155 | f. 856 696 9080 | www.mmpfa.com

David G. Manders AIA	AI-07220
Lawrence J. Merighi AIA	AI-07473
Ronald P. Portadin AIA	AI-13028
Peter W. Farrell AIA	AI-13618
Steven T. Graham AIA	AI-02011700
Charles Resonose AIA	AI-0184900
















Project
 ATLANTIC CITY BOARD OF EDUCATION
 UPTOWN SCHOOL
 COMPLEX - LOCKER
 ROOM RENOVATION
 323 Madison Ave., Atlantic City,
 NJ 08401


Drawing
 REFLECTED CEILING
 PLAN



Scale	Job	Sheet
AS NOTED	25,073	A1.5
Drawn	Date	7 of 7
RSM	12/19/25	

ELECTRICAL LEGEND

-  CEILING OUTLET AND LED 2x4 LIGHTING FIXTURE AS SCHEDULED.
-  LINEAR LED LIGHTING FIXTURE AS SCHEDULED.
-  CAPITAL LETTER INDICATES FIXTURE TYPE WHEN SHOWN ON LIGHTING PLANS ADJACENT TO FIXTURE.
-  SINGLE POLE 20A SPECIFICATION GRADE ROCKER STYLE SWITCH. MOUNT AT 48" A.F.F. TO TOP, UNLESS NOTED OTHERWISE.
SUBSCRIPT:
MS= OCCUPANCY SENSOR SIMILAR TO ACUITY WSX-PDT
LV= LOW VOLTAGE CONTROLLER SIMILAR TO ACUITY NPODMA
-  WALL OUTLET WITH 20A, 125V DUPLEX RECEPTACLE. MOUNT AT 16" A.F.F. TO BOTTOM, UNLESS NOTED OTHERWISE. 'GF' SUBSCRIPT INDICATES GROUND FAULT CURRENT INTERRUPTER.
-  CEILING MOUNTED JUNCTION BOX.
-  WALL MOUNTED JUNCTION BOX.
-  PHASE CONDUCTORS-NEUTRAL-GROUND
-  CIRCUIT CONCEALED IN CEILING OR WALL. CROSSBARS INDICATE NUMBER OF CONDUCTORS REQUIRED. CONDUIT NOT SIZED IS 1/2". CONDUCTORS NOT SIZED ARE NO. 12. EACH CIRCUIT SHALL HAVE DEDICATED NEUTRAL CONDUCTOR.
-  HOME RUN TO PANEL BOARD INDICATED. NUMBER INDICATES CIRCUIT NUMBER. PREFIX INDICATES PANEL NUMBER. EACH HOME RUN SHALL CONTAIN NO MORE THAN 5 CIRCUITS. EACH CIRCUIT TO HAVE DEDICATED NEUTRAL.
-  FIRE ALARM SYSTEM ADDRESSABLE SMOKE DETECTOR.
-  EMERGENCY BATTERY PACK.
-  FIRE ALARM VISUAL UNIT. MOUNT 80 INCHES A.F.F. TO STROBE.
-  FIRE ALARM AUDIO VISUAL UNIT. MOUNT 80 INCHES A.F.F. TO STROBE.
-  MOTOR RATED SWITCH SIZED TO SUIT MOTOR.



KEYNOTES:

1. REMOVE LIGHT FIXTURES IN THIS ROOM IN A MANNER IN WHICH EXISTING CIRCUITING MAY BE REUSED.
2. EXISTING CEILING MOUNTED FIRE ALARM DEVICES TO BE REMOVED. EXTEND ALL WIRING AS NECESSARY TO NEW DEVICE LOCATIONS.
3. EXISTING WALL MOUNTED FIRE ALARM DEVICE TO BE REMOVED AND REINSTALLED.
4. REMOVE EXISTING OUTLET IN A MANNER TO ALLOW FOR EXISTING CIRCUIT TO BE REUSED TO SERVE REPLACEMENT OUTLET.
5. REMOVE ELECTRICAL CIRCUIT SERVING HEATER TO BE RECONNECTED TO NEW UNIT.
6. DISCONNECT EXISTING HAND DRYER IN SUCH A MANNER THAT IT MAY BE RECONNECTED TO NEW UNIT.
7. EXISTING RECEPTACLES IN OFFICE TO REMAIN.
8. PATCH AND PAINT CEILING WHERE RECESSED LIGHTING FIXTURE IS BEING REMOVED.
9. REMOVE (1) 30A/3P SPARE CIRCUIT BREAKER AND PROVIDE 20A/2P AND (1) 20A/1P CIRCUIT BREAKER IN AVAILABLE BREAKER SPACE. TYPE AND RATING TO MATCH EXISTING.


GENERAL NOTES:

- A. CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING ALL REQUIRED WIRING, CONDUIT AND PROGRAMMING FOR ADDING FIRE ALARM DEVICES TO THE EXISTING FIRE ALARM SYSTEM.
- B. CONTRACTOR SHALL RUN ALL NEW CIRCUITS CONCEALED IN EXISTING WALLS.
- C. ALL NEW FIRE ALARM DEVICES SHALL BE COMPATIBLE WITH EXISTING FIRE ALARM SYSTEM.
- D. COLOR CODING OF ELECTRICAL CONDUCTORS SHALL COMPLY WITH EXISTING CONDUCTORS AND N.E.C.
- E. CONTRACTOR SHALL PAINT ALL WIREMOLD THAT IS EXISTING TO REMAIN. COLOR SHALL MATCH ADJACENT SURFACE.

GENERAL ELECTRICAL REMOVAL NOTES:

- A. THE CONTRACTOR SHALL BE RESPONSIBLE FOR VISITING THE BUILDING AND SITE TO BECOME FAMILIAR WITH THE EXISTING CONDITIONS. THESE REMOVAL DRAWINGS SHALL SERVE TO AID THE CONTRACTOR IN HIS EVALUATION OF THE EXTENT OF DEMOLITION, BUT SHALL NOT BE HELD TO BE ALL INCLUSIVE.
- B. FOR FURTHER INFORMATION WITH REGARD TO THE EXTENT OF DEMOLITION, SEE THE CONSTRUCTION PLANS WHICH ILLUSTRATE THE ADJACENT NEW CONSTRUCTION.
- C. CONTRACTOR SHALL BE RESPONSIBLE FOR ALL REMOVALS REQUIRED FOR THE INSTALLATION OF NEW WORK, WHETHER OR NOT IT IS SPECIFICALLY INDICATED OR NOTED IN THESE DOCUMENTS.
- D. ALL EQUIPMENT INDICATED AS CROSS HATCHED SHALL BE DISCONNECTED AND REMOVED.
- E. ALL EQUIPMENT REMOVED FOR RELOCATION SHALL BE REMOVED IN SUCH A MANNER THAT REUSE IS POSSIBLE.
- F. ALL CONDUIT RUNS TO REMOVED EQUIPMENT SHALL HAVE ALL WIRING REMOVED UNLESS WIRING IS REQUIRED TO SERVE EXISTING EQUIPMENT TO REMAIN.
- G. REMOVAL OF EMPTY CONCEALED CONDUIT WILL BE REQUIRED ONLY IF SUCH CONDUIT INTERFERES WITH NEW CONSTRUCTION.
- H. IF PORTIONS OF CIRCUITS SERVING EQUIPMENT TO REMAIN MUST BE RELOCATED OR REMOVED DUE TO OTHER DEMOLITION OR DUE TO INTERFERENCE WITH NEW EQUIPMENT INSTALLATION, THE CIRCUITS SHALL BE MODIFIED IN A MANNER WHICH SHALL ENSURE PROPER OPERATION OF THE EQUIPMENT AFTER CONSTRUCTION IS COMPLETE. USE SAME GAUGE AND TYPE OF CONDUCTOR AND SAME CONDUIT SIZE AS EXISTING TO MAKE ALL REQUIRED CIRCUIT MODIFICATIONS.
- J. IF WALLS, CEILINGS, FLOORS, OR EQUIPMENT ARE REMOVED, OR OTHER DEMOLITION OCCURS, WHICH EXPOSES CIRCUITS SERVING EQUIPMENT TO REMAIN, THE CIRCUITS SHALL BE RELOCATED OR MODIFIED IN SUCH A MANNER WHICH SHALL ENSURE THE CONTINUED OPERATION OF THE CIRCUIT. EXISTING CONDUITS EXPOSED DURING DEMOLITION WHICH REMAIN TO SERVE EQUIPMENT SHALL BE RE-SUPPORTED IN ACCORDANCE WITH THE REQUIREMENTS FOR RACEWAY INSTALLATION IN THE SPECIFICATIONS.
- K. EQUIPMENT REMOVED BUT NOT RELOCATED SHALL BE STORED AT LOCATION DIRECTED BY OWNER.

PARTIAL FIRST FLOOR ELECTRICAL REMOVAL PLAN
SCALE: 1/4" = 1'-0"




KEYPLAN
SCALE: NONE

Revisions		
No.	Date	Description



ALL REPORTS, PLANS, SPECIFICATIONS AND COMPUTER FILES RELATING TO THIS PROJECT ARE THE PROPERTY OF MANDERS MERIGHI PORTADIN FARRELL. MAMP RETAINS ALL COMMON LAW, STATUTE AND OTHER RESERVED RIGHTS INCLUDING THE COPYRIGHT THEREOF. REPRODUCTION OF THE MATERIAL HEREIN OR SUBSTANTIAL USE WITHOUT WRITTEN PERMISSION OF MAMP VIOLATES THE COPYRIGHT LAWS OF THE UNITED STATES AND WILL BE SUBJECT TO LEGAL PROSECUTION.

© 2017, MANDERS MERIGHI PORTADIN FARRELL ARCHITECTS, LLC



Manders Merighi Portadin Farrell Architects, LLC
1138 East Chestnut Avenue | Vineland, New Jersey 08360
p. 856.696.9155 | f. 856.696.9080 | www.mmpfa.com

David G. Manders AIA	AJ-07220
Lawrence J. Merighi AIA	AJ-07473
Ronald P. Portadin AIA	AJ-15028
Peter W. Farrell AIA	AJ-13618
Steven T. Graham AIA	AJ-02011700
Charles Rogerson AIA	AJ-0184900

Project
ATLANTIC CITY BOARD OF EDUCATION
**UPTOWN SCHOOL
COMPLEX - LOCKER
ROOM RENOVATION**
323 Madison Ave., Atlantic City,
NJ 08401

Drawing
FIRST FLOOR
ELECTRICAL REMOVAL
PLANS, LEGEND, AND
NOTES

Scale	Job	Sheet
AS NOTED	25,073	E1.0
Drawn	Date	1 of 3
KRB	12/19/25	


KEY NOTES:

1. RECONNECT TO EXISTING ROOM LIGHTING BRANCH CIRCUIT.


GENERAL NOTES:

- A. CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING ALL REQUIRED WIRING, CONDUIT AND PROGRAMMING FOR ADDING FIRE ALARM DEVICES TO THE EXISTING FIRE ALARM SYSTEM.
- B. CONTRACTOR SHALL RUN ALL NEW CIRCUITS CONCEALED IN EXISTING WALLS WHEN POSSIBLE.
- C. ALL NEW FIRE ALARM DEVICES SHALL BE COMPATIBLE WITH EXISTING FIRE ALARM SYSTEM.
- D. COLOR CODING OF ELECTRICAL CONDUCTORS SHALL COMPLY WITH EXISTING CONDUCTORS AND N.E.C.


Revisions		
No.	Date	Description



LIGHTING FIXTURE SCHEDULE							
SYMBOL	DESCRIPTION	MANUFACTURER	CATALOG NUMBER	LAMP		FIXTURE VOLTAGE	MOUNTING
				TYPE	WATTS		
(A)	4 FT. LINEAR VANDAL RESISTANT LED FIXTURE. ARCHITECT TO SELECT FINISH.	LEVITON	VRSE-5-48-FC-LED-8-35K-035L-UNV	LED	35	MVOLT	SURFACE
(B)	4FT VANITY FIXTURE VANDAL RESISTANT WALL MOUNT	LEVITON	VRSE-5-48-FC-LED-8-35K-035L-UNV	LED	35	MVOLT	WALL MOUNT ABOVE MIRROR
(C)	WET LOCATION LED LINEAR FIXTURE	LITHONIA	WWT-L48-5000LM-MVOLT-35K-WLFEND2	LED	42	MVOLT	SURFACE
(D)	2X4 LAY-IN PANEL	LITHONIA	CPX-2X4-3500LM-80CRI-35K	LED	24.6	MVOLT	LAY-IN
(E)	EXIT SIGN WITH 90 MIN BATTERY BACKUP	LITHONIA	LVS-W-R-1-120/277-ELN	LED	-	MVOLT	WALL-MOUNT
(E1)	EMERGENCY TWIN HEAD BATTERY PACK	LITHONIA	ELM4L	LED	-	MVOLT	WALL-MOUNT
(E2)	TYPE E1 WITH WET LOCATION COVER	LITHONIA	ELM4L-WPVS-LRG	LED	-	MVOLT	WALL-MOUNT



PARTIAL FIRST FLOOR LIGHTING PLAN
SCALE: 1/4" = 1'-0"



ALL REPORTS, PLANS, SPECIFICATIONS AND COMPUTER FILES RELATING TO THIS PROJECT ARE THE PROPERTY OF MANDERS MERIGHI PORTADIN FARRELL. MAMPF RETAINS ALL COMMON LAW, STATUTE AND OTHER RESERVED RIGHTS INCLUDING THE COPYRIGHT THEREOF. REPRODUCTION OF THE MATERIAL HEREIN OR SUBSTANTIAL USE WITHOUT WRITTEN PERMISSION OF MAMPF VIOLATES THE COPYRIGHT LAWS OF THE UNITED STATES AND WILL BE SUBJECT TO LEGAL PROSECUTION.

© 2017, MANDERS MERIGHI PORTADIN FARRELL ARCHITECTS, LLC




Manders Merighi Portadin Farrell Architects, LLC
1138 East Chestnut Avenue | Vineland, New Jersey 08360
p. 856.696.9155 | f. 856.696.9080 | www.mmpfa.com

David G. Manders AIA	AI-07220
Lawrence J. Merighi AIA	AI-07473
Ronald P. Portadin AIA	AI-13028
Peter W. Farrell AIA	AI-13618
Steven T. Graham AIA	AI-02011700
Charles Rogerson AIA	AI-0184590


Project
ATLANTIC CITY BOARD OF EDUCATION
**UPTOWN SCHOOL
COMPLEX - LOCKER
ROOM RENOVATION**
323 Madison Ave., Atlantic City,
NJ 08401

Drawing
FIRST FLOOR LIGHTING
PLANS

Scale	Job	Sheet
AS NOTED	25,073	E2.0
Drawn	Date	2 of 3
KRB	12/19/25	



PARTIAL FIRST FLOOR POWER AND SYSTEMS PLAN
SCALE: 1/4" = 1'-0"



KEYNOTES:

1. CONNECT NEW FIRE ALARM DEVICES TO EXISTING FIRE ALARM WIRING. PROVIDE ALL REQUIRED CIRCUITS SERVING THE AREA, CONDUIT AND PROGRAMMING.
2. DEVICE BOXES FOR FIRE ALARM DEVICES AND RECEPTACLES SHALL BE RECESSED IN WALL, NOTCH BLOCK WALLS AS NECESSARY TO INSTALL CONDUITS.
3. PROVIDE NEW RECEPTACLE IN EXISTING OUTLET BOX AND RECONNECT EXISTING WIRING.
4. EXISTING RECEPTACLES IN OFFICE TO REMAIN.
5. UTILIZE 20A/2P CIRCUIT BREAKER IN EXISTING PANEL AA TO SERVE EQUIPMENT. PROVIDE 2#10, 1Ø10G IN 3/4" C
6. MODIFY AND EXTEND EXISTING CIRCUIT TO SERVE NEW HAND DRYER. VERIFY EXACT LOCATION PRIOR TO ROUGH IN.

GENERAL NOTES:

- A. CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING ALL REQUIRED WIRING, CONDUIT AND PROGRAMMING FOR ADDING FIRE ALARM DEVICES TO THE EXISTING FIRE ALARM SYSTEM.
- B. CONTRACTOR SHALL RUN ALL NEW CIRCUITS CONCEALED IN EXISTING WALLS WHEN POSSIBLE.
- C. ALL NEW FIRE ALARM DEVICES SHALL BE COMPATIBLE WITH EXISTING FIRE ALARM SYSTEM.
- D. COLOR CODING OF ELECTRICAL CONDUCTORS SHALL COMPLY WITH EXISTING CONDUCTORS AND N.E.C.

Revisions		
No.	Date	Description



ALL REPORTS, PLANS, SPECIFICATIONS AND COMPUTER FILES RELATING TO THIS PROJECT ARE THE PROPERTY OF MANDERS MERIGHI PORTADIN FARRELL. MAMP RETAINS ALL COMMON LAW, STATUTE AND OTHER RESERVED RIGHTS INCLUDING THE COPYRIGHT THEREIN. REPRODUCTION OF THE MATERIAL HEREIN OR SUBSTANTIAL USE WITHOUT WRITTEN PERMISSION OF MAMP VIOLATES THE COPYRIGHT LAWS OF THE UNITED STATES AND WILL BE SUBJECT TO LEGAL PROSECUTION.

© 2017, MANDERS MERIGHI PORTADIN FARRELL ARCHITECTS, LLC



Manders Merighi Portadin Farrell Architects, LLC
1138 East Chestnut Avenue | Vineland, New Jersey 08360
p. 856 696 9155 | f. 856 696 9080 | www.mmpfa.com

David G. Manders AIA	AJ-07220
Lawrence J. Merighi AIA	AJ-07473
Ronald P. Portadin AIA	AJ-13028
Peter W. Farrell AIA	AJ-13618
Steven T. Graham AIA	AJ-02011700
Charles Resposse AIA	AJ-0184090

Project
ATLANTIC CITY BOARD OF EDUCATION
**UPTOWN SCHOOL
COMPLEX - LOCKER
ROOM RENOVATION**
323 Madison Ave., Atlantic City,
NJ 08401



Drawing
FIRST FLOOR POWER
AND SYSTEMS PLANS

Scale	Job	Sheet
AS NOTED	25,073	E3.0
Drawn	Date	3 of 3
KRB	12/19/25	

HVAC SYMBOLS AND ABBREVIATIONS LEGEND

NOTE: NOT ALL SYMBOLS MAY BE USED.



A.F.F.	ABOVE FINISHED FLOOR	GPM	GALLONS PER MINUTE
AHU	AIR HANDLING UNIT	HTR.	HEATER
ASSOC.	ASSOCIATED	HWS&R	HOT WATER SUPPLY & RETURN PIPING
AUTO.	AUTOMATIC	MFR.	MANUFACTURER
BHP	BRAKE HORSEPOWER	MAX.	MAXIMUM
BTUH	BTU/HR	MECH.	MECHANICAL
CAP.	CAPACITY	MIN.	MINIMUM
CC	COOLING COIL	O.A.	OUTSIDE AIR
CLG.	CEILING/COOLING	PSI	POUNDS PER SQUARE INCH
CONC.	CONCRETE	PRESS.	PRESSURE
CONN.	CONNECTION	REF.	REFERENCE
CV	CONSTANT VOLUME	RM.	ROOM
DN.	DOWN	SHT.	SHEET
DN.	DOWN	S.P.	STATIC PRESSURE
DIA.	DIAMETER	T.A.	TRANSFER AIR
EF	EXHAUST FAN	TEMP.	TEMPERATURE
ENT.	ENTERING	TSP	TOTAL STATIC PRESSURE
EXH.	EXHAUST	TYP.	TYPICAL
EX.	EXISTING	FTR	FIN TUBE RADIATION
EXT.	EXTERNAL	VD	VOLUME DAMPER



- NOTES:
- ALL LOW PRESSURE DUCTWORK DIMENSIONS ARE SHEET METAL DIMENSIONS.
 - EXTERNALLY INSULATE RECTANGULAR SUPPLY AND OUTSIDE AIR DUCTWORK.
 - SECURELY ATTACH FLEXIBLE DUCT TO DIFFUSERS WITH SCREWS.

HVAC DUCT LEGEND

SCALE: NONE



RETURN GRILLE CONNECTION DETAIL

SCALE: NONE

SCHEDULE OF ELECTRIC CEILING HEATERS

SYMBOL	MANUFACTURER	MODEL	HEATING CAPACITY (BTU)	KW	ELECTRICAL CHARACTERISTICS		MOUNTING	REMARKS
					VOLTAGE	PHASE		
EUH-1	MARKEL	F3482A1	6826	2	208	1	SURFACE	ALL

- NOTES:
- PROVIDE WITH REMOTE THERMOSTAT AND LOCKABLE VANDAL RESISTANT COVER.
 - PROVIDE UNIT WITH DISCONNECT SWITCH AND OVERLOAD PROTECTION.
 - SHOP DRAWINGS MUST INCLUDE PERFORMANCE DATA OR THEY WILL BE REJECTED.

SCHEDULE OF ELECTRIC WALL HEATERS

SYMBOL	MANUFACTURER	MODEL	LENGTH	HEATING CAPACITY (BTU)	KW	ELECTRICAL CHARACTERISTICS		MOUNTING	REMARKS
						VOLTAGE	PHASE		
EUH-2	MARKEL	CV125YX	120"	4266	1.25	208	1	SURFACE	ALL

- NOTES:
- PROVIDE WITH REMOTE THERMOSTAT AND LOCKABLE VANDAL RESISTANT COVER.
 - PROVIDE UNIT WITH DISCONNECT SWITCH AND OVERLOAD PROTECTION.
 - SHOP DRAWINGS MUST INCLUDE PERFORMANCE DATA OR THEY WILL BE REJECTED.

SCHEDULE OF GRILLES & DIFFUSERS

SYMBOL	MANUFACTURER	MODEL	PANEL SIZE	CORE TYPE	INLET DIMENSION	NOMINAL CFM	THROW @100 FPM	PRESSURE DROP(IN.)	SOUND N.C.	MOUNTING	REMARKS
E-1	TITUS	355R	12X8	LOUVER	10X6	102	-	0.03	14	LAY-IN	1,2,3
E-2	TITUS	355R	12X8	LOUVER	10X6	102	-	0.03	14	SURFACE	1,2,3
E-3	TITUS	355R	16X8	LOUVER	14X6	144	-	0.03	-	SURFACE	1,2,3
R-1	TITUS	PAR	24X24	PERFORATED	8"φ	140	-	0.09	-	LAY-IN	1,2,3
S-1	TITUS	OMNI	24X24	PLAQUE	8"φ	244	5	0.05	12	LAY-IN	1,2,3
S-2	TITUS	OMNI	24X24	PLAQUE	8"φ	244	5	0.05	12	SURFACE	1,2,3


- NOTES:
- CONTRACTOR SHALL VERIFY PANEL AND INLET SIZE PRIOR TO ORDERING.
 - SHOP DRAWINGS MUST INCLUDE PERFORMANCE DATA OR THEY WILL BE REJECTED.
 - PROVIDE VOLUME DAMPER AT GRILLE.

AIR BALANCING SCOPE:

- PREBALANCE READINGS SHALL BE TAKEN AND PROVIDED TO THE ENGINEER BEFORE REMOVAL WORK BEGINS. ALL EFFORTS TO USE THE BEST DOCUMENTED INFORMATION FOR EXISTING CONDITIONS HAVE BEEN TAKEN. HOWEVER, IF EXISTING FIELD CONDITIONS VARY FROM THE DOCUMENTS, NOTIFY THE A/E TEAM IMMEDIATELY IN WRITING. OMISSION OF THE PREBALANCE MAY LEAD TO ADDITIONAL TROUBLE SHOOTING DURING FINAL BALANCING. CONTRACTOR WILL BE REQUIRED TO CORRECT DEFICIENCIES CAUSED BY FAILURE TO PERFORM SUCH VERIFICATIONS AT NO EXPENSE TO THE OWNER. PREBALANCE READINGS SHALL BE PERFORMED AT THE FOLLOWING LOCATIONS:
 - WITHIN THE PROJECT AREA(S); RECORD AIR FLOW READINGS AT EACH EXISTING GRILLE AND DIFFUSER.
- BALANCE ALL GRILLES AND DIFFUSERS TO THE VALUES INDICATED.
- UPON COMPLETION OF THE DUCT MODIFICATIONS, RECORD FINAL AIR FLOW RATES WITHIN THE PROJECT AREA, AT THE AIR HANDLING UNIT AND EXHAUST FAN(S). TOTAL AIR FLOWRATES WITHIN THE PROJECT AREA AND AT THE SOURCE EQUIPMENT SHALL BE WITHIN 5% OF EXISTING CONDITION / DESIGN FLOW RATES.

GENERAL NOTES:

- REFER TO ARCHITECTURAL REFLECTED CEILING PLAN FOR LOCATION OF GRILLES AND DIFFUSERS.
 - DRAWING IS DIAGRAMMATIC, PROVIDE ADDITIONAL OFFSETS, TRANSITIONS, ETC. AS REQUIRED TO AVOID INTERFERENCE'S ENCOUNTERED. RELOCATION OF EXISTING DUCT AND EQUIPMENT HANGERS REQUIRED FOR INSTALLATION WORK SHALL BE CONSIDERED PART OF THIS CONTRACT.
 - CONTRACTOR SHALL PROVIDE MANUFACTURER'S RECOMMENDED ACCESS TO ALL EQUIPMENT. ACCESS SHALL BE REMOVABLE BY CEILING TILES AND CEILING ACCESS PANELS. COORDINATE LOCATION OF MECHANICAL EQUIPMENT WITH OTHER TRADES TO AVOID CONFLICT.
- THE REMOVAL DRAWINGS SHALL SERVE TO AID THE CONTRACTOR IN THE EVALUATION OF THE EXTENT OF REMOVALS, BUT SHALL NOT BE HELD TO BE ALL INCLUSIVE.
 - THE CONTRACTOR SHALL BE RESPONSIBLE FOR VISITING THE AREA TO BECOME FAMILIAR WITH THE EXISTING CONDITIONS. VERIFY SIZE, LOCATION, AND USAGE OF EXISTING UTILITIES PRIOR TO REMOVAL. FOR FURTHER INFORMATION WITH REGARD TO THE EXTENT OF REMOVALS, SEE THE CONSTRUCTION DRAWINGS AND THE ARCHITECTURAL DRAWINGS WHICH SHOW WORK TO BE PERFORMED.
 - OWNER SHALL BE GIVEN FIRST CHOICE ON ALL EQUIPMENT BEING REMOVED THAT WILL NOT BE RELOCATED. CONTRACTOR SHALL REVIEW THE EXISTING EQUIPMENT WITH OWNER. EQUIPMENT BEING REMOVED OR RELOCATED SHALL BE REMOVED IN A MANNER THAT REUSE IS POSSIBLE AND STORED AS DIRECTED BY OWNER. ALL OTHER EQUIPMENT SHALL BECOME THE PROPERTY OF THE CONTRACTOR AND SHALL BE REMOVED & DISPOSED OF FROM THE SITE BY THE CONTRACTOR.
 - CUT, PATCH & REPAIR ALL OPENINGS IN WALLS, FLOORS, CEILINGS, ETC. WHERE REQUIRED BY THE REMOVAL OF EQUIPMENT, DUCTWORK, AND ACCESSORIES. PATCHING SHALL MATCH EXISTING CONSTRUCTION & FINISHES. COORDINATE ALL PATCHING AND FINISHES WITH ARCHITECT. PATCHING OF FIRE WALLS SHALL MEET THE RATING AND SHALL BE INSTALLED PER ARCHITECTURAL SPECIFICATION.
 - IF EQUIPMENT TO REMAIN MUST BE REMOVED DUE TO REMOVAL OR CONSTRUCTION, THE EQUIPMENT SHALL BE RELOCATED IN A MANNER THAT IS ACCEPTABLE BY THE ARCHITECT/ENGINEER.
 - PROPER CONNECTIONS, MATERIALS, AND SIZES OF DUCTWORK SHALL BE MAINTAINED TO ENSURE EQUIPMENT IS MADE FULLY OPERATIONAL.
 - REMOVAL OF EXISTING EQUIPMENT, PIPING OR DUCTWORK SHALL BE MADE SO THAT SERVICE TO OTHER AREAS UTILIZED BY THE OWNER ARE NOT INTERRUPTED WITHOUT CONSENT FROM OWNER. PROVIDE TEMPORARY VALVES AND TEMPORARY SERVICES REQUIRED DURING REMOVALS AND CONSTRUCTION.
 - REMOVE COMPLETELY ALL EXISTING HVAC EQUIPMENT, ALL ASSOCIATED PIPING, CONTROLS, AND SUPPORTS BEING MADE OBSOLETE BY THIS CONSTRUCTION. REMOVAL OF HVAC DUCTWORK AND PIPING SHALL BE MADE BACK TO MAINS UNLESS INDICATED BY THE HATCHING.
 - CONTRACTOR SHALL BE RESPONSIBLE TO KEEP ALL PHASES OF CONSTRUCTION AREA UNDER A NEGATIVE MODE AND SHALL BE CERTIFIED. PROVIDE A DIGITAL PRESSURE DIFFERENTIAL MEASUREMENT WITH INDICATION TO 0.01 INCHES OF PRESSURE DIFFERENTIAL OUTSIDE THE CONSTRUCTION SITE THAT MEASURES THE PRESSURE WITHIN THE CONSTRUCTION SITE. GAUGE SHALL BE READ AND SIGNED BY THE CONTRACTOR INDICATING NEGATIVE PRESSURE IN THE CONSTRUCTION AREA. WHEN THE BUILDING AIR DISTRIBUTION SYSTEM IS USED TO MAINTAIN NEGATIVE MODE, THE CONTRACTOR SHALL PROVIDE TEMPORARY FILTER MEDIA ON ALL RETURN AND EXHAUST OPENINGS IN THE CONSTRUCTION AREA. THE FILTER MEDIA SHALL BE REPLACED WHEN DIRTY OR WHEN DIRECTED BY THE ENGINEER.




Revisions		
No.	Date	Description



ALL REPORTS, PLANS, SPECIFICATIONS AND COMPUTER FILES RELATING TO THIS PROJECT ARE THE PROPERTY OF MANDERS MERIGHI PORTADIN FARRELL. MAMP RETAINS ALL COMMON LAW, STATUTE AND OTHER RESERVED RIGHTS INCLUDING THE COPYRIGHT THEREIN. REPRODUCTION OF THE MATERIAL HEREIN OR SUBSTANTIAL USE WITHOUT WRITTEN PERMISSION OF MAMP VIOLATES THE COPYRIGHT LAWS OF THE UNITED STATES AND WILL BE SUBJECT TO LEGAL PROSECUTION.

© 2017, MANDERS MERIGHI PORTADIN FARRELL ARCHITECTS, LLC




Manders Merighi Portadin Farrell Architects, LLC
1138 East Chestnut Avenue | Vineland, New Jersey 08360
p. 856 696 9133 | f. 856 696 9080 | www.mmpf.com

David G. Manders AIA AI-07220
Lawrence J. Merighi AIA AI-07473
Ronald P. Portadin AIA AI-15058
Peter W. Farrell AIA AI-13618
Steven T. Graham AIA AI-02011700
Charles Rogerson AIA AI-0184500

Project
ATLANTIC CITY BOARD OF EDUCATION
UPTOWN SCHOOL
COMPLEX - LOCKER
ROOM RENOVATION
323 Madison Ave, Atlantic City,
NJ 08401


Drawing
HVAC LEGEND, DETAILS,
AND SCHEDULES

Scale	Job	Sheet
AS NOTED	25,073	M1.0
Drawn	Date	1 of 2
MCG	12/19/25	





PARTIAL FIRST FLOOR HVAC REMOVAL PLAN

SCALE: 1/4" = 1'-0"




PARTIAL FIRST FLOOR HVAC PLAN

SCALE: 1/4" = 1'-0"




- KEYED NOTES:**
1. TAKE PREBALANCE READINGS TO VERIFY CFM VALUES.
 2. CODE MINIMUM VENTILATION, IF PREBALANCE READINGS ARE HIGHER THAN CFM SHOWN ON PLAN, BALANCE CFM TO PREBALANCE READINGS.
 3. BALANCE CFM TO PREBALANCE VALUES IF HIGHER THAN CFM SHOWN.
 4. PATCH AND REFINISH CMU WALL.

Revisions		
No.	Date	Description



ALL REPORTS, PLANS, SPECIFICATIONS AND COMPUTER FILES RELATING TO THIS PROJECT ARE THE PROPERTY OF MANDERS MERIGHI PORTADIN FARRELL. MAMP RETAINS ALL COMMON LAW, STATUTE AND OTHER RESERVED RIGHTS INCLUDING THE COPYRIGHT THEREOF. REPRODUCTION OF THE MATERIAL HEREIN OR SUBSTANTIAL USE WITHOUT WRITTEN PERMISSION OF MAMP VIOLATES THE COPYRIGHT LAWS OF THE UNITED STATES AND WILL BE SUBJECT TO LEGAL PROSECUTION.

© 2017, MANDERS MERIGHI PORTADIN FARRELL ARCHITECTS, LLC



Manders Merighi Portadin Farrell Architects, LLC
 1134 East Chestnut Avenue | Vineland, New Jersey 08360
 p. 856 686 9135 | f. 856 686 9082 | www.mmpf.com

David G. Manders AIA	AI-07220
Lawrence J. Merighi AIA	AI-07473
Ronald P. Portadin AIA	AI-15028
Peter W. Farrell AIA	AI-13618
Steven T. Graham AIA	AI-02011700
Charles Rogerson AIA	AI-0184590

Project
**ATLANTIC CITY BOARD OF EDUCATION
 UPTOWN SCHOOL
 COMPLEX - LOCKER
 ROOM RENOVATION**
 323 Madison Ave., Atlantic City,
 NJ 08401

Drawing		
Scale	Job	Sheet
AS NOTED	25,073	M2.0
Drawn MCG	Date 12/19/25	2 of 2

Revisions	
No.	Description


SCHEDULE OF PLUMBING FIXTURES

MARK	FIXTURE	MANUFACTURER	MODEL NO.	TYPE	MATERIAL	STYLE	FAUCET / VALVE			SUPPLY STOPS MANUFACTURER AND MODEL	DRAIN		DOMESTIC CW	DOMESTIC HW	DOMESTIC TW	SANITARY WASTE	SANITARY VENT	REMARKS	MARK				
							MANUFACTURER	MODEL NO.	SPOUT		HANDLES	CENTERS								TYPE	SIZE		
EC1	ELECTRIC WATER COOLER	ELKAY	LVR08WSK	WALL MOUNT AT ADA HEIGHT	STAINLESS STEEL	WATER COOLER WITH BOTTLE FILLER	---	---	---	---	---	---	---	---	---	---	---	---	EC1				
HB1	HOSE BIBB	ACORN	8151-SSLF	RECESSED WALL MOUNT	STAINLESS STEEL	SINGLE TEMPERATURE WITH LOCKABLE COVER	---	---	---	---	---	---	---	---	---	---	---	---	HB1				
L1 (ADA)	LAVATORY	ZURN	Z5344	WALL MOUNT AT ADA HEIGHT	VITREOUS CHINA	SINGLE USER	ZURN	Z812B4-XL	5 3/4" GOOSENECK, 2.2 GPM AERATOR OUTLET	WRIST BLADES	4"	MCQUIRE MFG CO. LFBV01	ZURN Z7846-PC	1 1/4"	17 GAUGE 1 1/4" X 1 1/2"	OFFSET	1/2"	1/2"	---	1 1/2"	1 1/2"	P-TRAP SHALL BE ADJUSTABLE CAST BRASS WITH CLEANOUT. PROVIDE WITH WALL CARRIER. PROVIDE ADDITIONAL FILTER REPLACEMENT. CERAMIC 1/4 TURN OPERATING CARTRIDGE WITH INTEGRAL VACUUM BREAKER. MOUNT 18" ABOVE FINISHED FLOOR IN RESTROOMS. PROVIDE IN LOCATION THAT MAINTAINS ALL ADA CLEARANCES.	L1 (ADA)
S1 (ADA)	SINK	ZURN	Z5344	WALL MOUNT AT ADA HEIGHT	VITREOUS CHINA	SINGLE USER	ZURN	Z812B4-XL	5 3/4" GOOSENECK, 2.2 GPM AERATOR OUTLET	WRIST BLADES	4"	MCQUIRE MFG CO. LFBV01	ZURN Z7846-PC	1 1/4"	17 GAUGE 1 1/4" X 1 1/2"	OFFSET	1/2"	1/2"	---	1 1/2"	1 1/2"	PROVIDE WITH CONCEALED WALL ARM CARRIER Z1231EZ. P-TRAP SHALL BE ADJUSTABLE CAST BRASS WITH CLEANOUT. PROVIDE ZURN Z8946-3-NIT PROTECTIVE COVERINGS FOR ALL TAILPIECES, TRAP, SUPPLIES. PROVIDE WITH THERMOSTATIC MIXING VALVE.	S1 (ADA)
SH1	SHOWER	INPRO	CUSTOM - PRISM SOLID SURFACE SHOWER RECEPTOR	NARROW THRESHOLD	SOLID SURFACE BASE AND EX. CMU WALLS	ONE PIECE CUSTOM BASE	ZURN	Z7301-SS-MT	---	---	---	---	---	---	---	---	---	---	---	---	---	PROVIDE CUSTOM FIELD MEASURED SOLID SURFACE. NARROW THRESHOLD RECEPTOR. FIELD VERIFY EXACT SIZE. UTILIZE EXISTING DRAIN LOCATION. PROVIDE WITH POLISHED STAINLESS STEEL STRAINER.	SH1
SH2	SHOWER	ACORN	118-W	WALL MOUNT	STAINLESS STEEL	CONTINUOUS WALL SHOWER	ACORN	INTEGRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	PROVIDE WITH STAINLESS STEEL SHROUD RUNNING THE FULL LENGTH OF SHOWER AREA. FIELD VERIFY EXACT DIMENSION AND QUANTITY. INSTALL PER MANUFACTURER'S RECOMMENDATIONS. CUSTOM CAP COLD INLET ON VALVE FOR USE WITH SINGLE TEMPERATURE INLET.	SH2
U1 (ADA)	URINAL	ZURN	Z5755-U	WALL HUNG FLUSH VALVE	VITREOUS CHINA	A.D.A. HEIGHT WASHDOWN FLUSH	ZURN	Z6003AV-WS1	---	---	---	---	---	---	---	---	---	---	---	---	---	3/4" TOP SPUD W/1.0 GALLON FLUSH. ZURN Z1222 FULLY ADJUSTABLE CARRIER, MODEL Z5978-STR STRAINER. URINAL TO BE MOUNTED AT ADA HEIGHT.	U1 (ADA)
U2	URINAL	ZURN	Z5755-U	WALL HUNG FLUSH VALVE	VITREOUS CHINA	WASHDOWN FLUSH	ZURN	Z6003AV-WS1	---	---	---	---	---	---	---	---	---	---	---	---	---	3/4" TOP SPUD W/1.0 GALLON FLUSH. ZURN Z1222 FULLY ADJUSTABLE CARRIER, MODEL Z5978-STR STRAINER.	U2
WC1 (ADA)	WATER CLOSET	ZURN	Z5655-BWL1	FLOOR MOUNT FLUSH VALVE	VITREOUS CHINA	A.D.A. ELONGATED SIPHON-JET	ZURN	Z6000AV-WS1	---	---	---	---	---	---	---	---	---	---	---	---	---	1 1/2" TOP SPUD, 1.6 GALLON FLUSH. ZURN Z99555S-EL-AM-STS SEAT. TOILET FLANGE BOLTS SHALL BE DOUBLE NUTTED.	WC1 (ADA)
WC2	WATER CLOSET	ZURN	Z5655-BWL1	FLOOR MOUNT FLUSH VALVE	VITREOUS CHINA	ELONGATED SIPHON-JET	ZURN	Z6000AV-WS1	---	---	---	---	---	---	---	---	---	---	---	---	---	1 1/2" TOP SPUD, 1.6 GALLON FLUSH. ZURN Z99555S-EL-AM-STS SEAT. TOILET FLANGE BOLTS SHALL BE DOUBLE NUTTED.	WC2

SCHEDULE OF PLUMBING DRAINS AND CLEANOUTS


MARK	FIXTURE	MANUFACTURER	MODEL NUMBER	TYPE	MATERIAL	STYLE	DRAIN SIZE	REMARKS	MARK
ED1	FLOOR DRAIN	ZURN	ZN415B	NO HUB OR NEO-LOCK	CAST IRON / NICKEL BRONZE TOP	6" ROUND	PER DWGS.	PROVIDE COMPLETE WITH SURESEAL FLOOR DRAIN TRAP SEAL.	ED1
ED2	FLOOR DRAIN	ZURN	ZN415J	NO HUB OR NEO-LOCK	CAST IRON / NICKEL BRONZE TOP	4 1/2"x8" RECTANGLE	PER DWGS.	PROVIDE COMPLETE WITH SURESEAL FLOOR DRAIN TRAP SEAL.	ED2

PLUMBING LEGEND




GENERAL NOTES:

- APPLIES TO ALL SHEETS.
- THE REMOVAL DRAWINGS SERVE TO AID THE CONTRACTOR IN THE EVALUATION OF THE EXTENT OF DEMOLITION, BUT SHALL NOT BE HELD TO ALL INCLUSIVE.
 - CONDITIONS SHOWN ON THE PLANS RELATIVE TO THE WORK TO BE PERFORMED ARE BASED ON THE BEST INFORMATION AVAILABLE AND SUBJECT TO VERIFICATION. VERIFY LOCATIONS AND ELEVATIONS OF UTILITIES TO BE CROSSED OR CONNECTED. CORRECT DEFICIENCIES CAUSED BY FAILURE TO PERFORM SUCH VERIFICATIONS AT NO EXPENSE TO OWNER. IMMEDIATELY NOTIFY ARCHITECT AND ENGINEER OF CONDITION IN CONFLICT WITH THE DETAILS/PLANS.
 - FOR FURTHER INFORMATION WITH REGARD TO THE EXTENT OF DEMOLITION & REMOVALS, SEE THE NEW CONSTRUCTION DRAWINGS AND THE ARCHITECTURAL DRAWINGS WHICH SHOW WORK TO BE PERFORMED.
 - OWNER SHALL BE GIVEN FIRST CHOICE ON ALL EQUIPMENT BEING REMOVED THAT WILL NOT BE RELOCATED. CONTRACTOR SHALL REVIEW THE EXISTING EQUIPMENT WITH OWNER. EQUIPMENT BEING REMOVED OR RELOCATED SHALL BE REMOVED IN A MANNER THAT REUSE IS POSSIBLE AND STORED AS DIRECTED BY OWNER. ALL OTHER EQUIPMENT SHALL BECOME THE PROPERTY OF THE CONTRACTOR AND SHALL BE REMOVED & DISPOSED OF FROM THE SITE BY THE CONTRACTOR.
 - CUT, PATCH & REPAIR ALL OPENINGS IN WALLS, FLOORS, CEILING, ETC. WHERE REQUIRED BY THE REMOVAL OF EQUIPMENT AND ACCESSORIES AND NEW CONSTRUCTION. PATCHING SHALL MATCH EXISTING CONSTRUCTION & FINISHES. COORDINATE ALL PATCHING AND FINISHES WITH ARCHITECT.
 - IF PLUMBING LINES SERVING PLUMBING EQUIPMENT TO REMAIN MUST BE REMOVED DUE TO DEMOLITION OR NEW CONSTRUCTION, THE UTILITIES SHALL BE RELOCATED IN A MANNER THAT IS ACCEPTABLE BY THE ARCHITECT/ENGINEER. PROPER SLOPE, MATERIALS, AND SIZES OF PIPING SHALL BE MAINTAINED TO INSURE EQUIPMENT IS MADE FULLY OPERATIONAL.
 - REMOVAL OF EXISTING UTILITIES SHALL BE MADE SO THAT SERVICE TO OTHER AREAS UTILIZED BY THE OWNER ARE NOT INTERRUPTED WITHOUT CONSENT FROM OWNER. PROVIDE TEMPORARY VALVES AND TEMPORARY SERVICES REQUIRED DURING DEMOLITION AND NEW CONSTRUCTION.
 - REMOVE COMPLETE ALL EXISTING PLUMBING EQUIPMENT AND ALL ASSOCIATED PIPING BEING MADE OBSOLETE BY THIS CONSTRUCTION. REMOVAL OF PIPING SHALL BE MADE BACK TO MAINS & CAPPED.
 - EXISTING INFORMATION SHOWN ON FLOOR PLANS IS FROM ORIGINAL RECORD DRAWINGS. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY ALL EXISTING CONDITIONS IN THE FIELD BEFORE COMMENCEMENT OF WORK. THE CONTRACTOR IS REQUIRED TO REPORT TO THE ARCHITECT DISCREPANCIES OR INCONSISTENCIES BETWEEN THE SPECIFIED DESIGN AND EXISTING CONDITIONS FOR CLARIFICATION PRIOR TO COMMENCEMENT OF THE WORK. ABSOLUTE ACCURACY OF THE DRAWINGS CANNOT BE GUARANTEED, WHILE EVERY EFFORT HAS BEEN MADE TO COORDINATE THE LOCATION OF EXISTING EQUIPMENT, PIPING, ETC. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO COORDINATE THE EXACT REQUIREMENTS GOVERNED BY ACTUAL JOB CONDITIONS.
 - PLUMBING SYSTEMS SHALL BE DESIGNED AND INSTALLED PER LOCAL PLUMBING CODE.
 - REPORT TO ARCHITECT IN WRITING, CONDITIONS WHICH WILL PREVENT PROPER PROVISION OF THIS WORK.
 - THE DRAWINGS SHOWING THE LOCATIONS OF PLUMBING EQUIPMENT, PIPING, ETC. ARE DIAGRAMMATIC. CONTRACTOR SHALL PROVIDE ALL OFFSETS, ADJUSTMENTS ETC. JOB CONDITIONS MAY NOT PERMIT THEIR INSTALLATION AT THE LOCATIONS SHOWN. THE PLUMBING DRAWINGS SHOW THE GENERAL ARRANGEMENT OF EQUIPMENT, PIPING, DEVICES, ETC. & SHALL BE FOLLOWED AS CLOSE AS POSSIBLE.
 - LOCATE VALVES FOR SERVICE ACCESSIBILITY. PROVIDE ACCESS PANELS WHERE REQUIRED. PROVIDE VALVE TAGS & PLASTIC LAMINATE FOR ALL NEW AND EXISTING VALVES AND EQUIPMENT LOCATED WITHIN THE CONSTRUCTION LIMITS AS INDICATED IN THE SPECIFICATIONS.
 - PROVIDE ALL UTILITIES & ACCESSORIES REQUIRED FOR THIS EQUIPMENT FOR A COMPLETE AND OPERABLE SYSTEM.
 - CONNECTION TO UTILITIES SHALL BE COORDINATED WITH THE OWNER. CONNECTIONS TO THESE SYSTEMS WILL BE DONE, AFTER HOURS, CONTRACTOR SHALL BE RESPONSIBLE FOR ALL COORDINATION WITH THESE SERVICES BETWEEN THE OWNER, ARCHITECT & ENGINEER.
 - PLUMBING FIXTURES & EQUIPMENT TO REMAIN OR BE RELOCATED SHALL BE PROTECTED DURING CONSTRUCTION, AFTER CONSTRUCTION CLEAN & CAULK ALL FIXTURES & EQUIPMENT TO THE SATISFACTION OF THE OWNER.
 - SEAL ALL OPENINGS NEW & EXISTING AROUND PLUMBING & UTILITY LINES PENETRATING FIRE WALLS. REFER TO ARCHITECTURAL DRAWINGS FOR LOCATION OF FIRE WALLS & ARCHITECTURAL SPECS FOR MATERIAL & INSTALLATION.
 - CONTRACTOR SHALL COORDINATE WITH ARCHITECT ALL CONSTRUCTION PHASING AS IT APPLIES TO DEMOLITION & NEW WORK.
 - CONTRACTOR SHALL BE RESPONSIBLE FOR ALL ASSOCIATED PERMITS AND FEES REQUIRED FOR PROJECT SCOPE.
 - FIELD VERIFY EXACT SIZE AND LOCATION OF ALL FLOOR DRAINS. NEW DRAINS SHALL GO IN SAME LOCATION AS EXISTING.
 - PATCH AND REPAIR ALL SURFACES TO MATCH SURROUNDING FINISHES.




TRAPEZE INSULATED PIPE HANGER DETAIL
SCALE: NONE




TYPICAL SERVICE STOP INSTALLATION DETAIL
SCALE: NONE




TYPICAL INSULATED PIPE HANGER DETAIL
SCALE: NONE




INTERIOR NON-RATED WALL PIPE SLEEVE DETAIL
SCALE: NONE



INTERIOR RATED WALL PIPE SLEEVE DETAIL
SCALE: NONE



FLOOR PIPE SLEEVE DETAIL
SCALE: NONE




FLOOR PIPE SLEEVE DETAIL
SCALE: NONE



ALL REPORTS, PLANS, SPECIFICATIONS AND COMPUTER FILES RELATING TO THIS PROJECT ARE THE PROPERTY OF MANDERS MERIGHI PORTADIN FARRELL. MAMPF RETAINS ALL COMMON LAW, STATUTE AND OTHER RESERVED RIGHTS INCLUDING THE COPYRIGHT THEREIN. REPRODUCTION OF THE MATERIAL HEREIN OR SUBSTANTIAL USE WITHOUT WRITTEN PERMISSION OF MAMPF VIOLATES THE COPYRIGHT LAWS OF THE UNITED STATES AND WILL BE SUBJECT TO LEGAL PROSECUTION.

© 2017, MANDERS MERIGHI PORTADIN FARRELL ARCHITECTS, LLC




Manders Merighi Portadin Farrell Architects, LLC
1138 East Chestnut Avenue | Vineland, New Jersey 08360
p. 856.696.9155 | f. 856.696.9080 | www.mmpfa.com

David G. Manders AIA AI-07220
Lawrence J. Merighi AIA AI-07473
Ronald P. Portadin AIA AI-15058
Peter W. Farrell AIA AI-13618
Steven T. Graham AIA AI-02011700
Charles Rogosen AIA AI-0184590


Project
ATLANTIC CITY BOARD OF EDUCATION
**UPTOWN SCHOOL
COMPLEX - LOCKER
ROOM RENOVATION**
323 Madison Ave., Atlantic City,
NJ 08401

Drawing
PLUMBING LEGEND,
SCHEDULES AND
DETAILS



Scale	Job	Sheet
AS NOTED	25,073	P0.1
Drawn	Date	1 of 3
AJD	12/19/25	




BELOW FIRST FLOOR PLUMBING REMOVAL PLAN
SCALE: 1/4" = 1'-0"



FIRST FLOOR PLUMBING REMOVAL PLAN
SCALE: 1/4" = 1'-0"



- KEYED NOTES:**
1. REMOVE WATER CLOSET COMPLETE. PREPARE WASTE, VENT, AND DOMESTIC WATER PIPING SERVING WATER CLOSET FOR CONNECTION TO NEW FIXTURE IN SAME APPROXIMATE LOCATION.
 2. REMOVE WATER CLOSET COMPLETE. REMOVE WASTE, VENT, AND DOMESTIC WATER PIPING BACK TO MAIN AND CAP.
 3. REMOVE SHOWER COMPLETE. PREPARE WASTE, VENT, AND DOMESTIC WATER PIPING SERVING SHOWER FOR CONNECTION TO NEW FIXTURE IN SAME APPROXIMATE LOCATION.
 4. REMOVE SHOWER COMPLETE. PREPARE DOMESTIC WATER PIPING SERVING SHOWER FOR CONNECTION TO NEW FIXTURE IN SAME APPROXIMATE LOCATION. REMOVE AND REPLACE CONTINUOUS STAINLESS STEEL SHOWER PANELING ROUTED ALONG WALL.
 5. REMOVE LAVATORY COMPLETE. PREPARE WASTE, VENT, AND DOMESTIC WATER PIPING SERVING LAVATORY FOR CONNECTION TO NEW FIXTURE IN SAME APPROXIMATE LOCATION.
 6. REMOVE LAVATORY COMPLETE. REMOVE WASTE, VENT, AND DOMESTIC WATER PIPING SERVING LAVATORY TO MAINS AND CAP.
 7. REMOVE WATER COOLER COMPLETE. PREPARE WASTE, VENT, AND DOMESTIC COLD WATER PIPING FOR CONNECTION TO NEW FIXTURE IN SAME APPROXIMATE LOCATION.
 8. REMOVE URINAL COMPLETE. REMOVE WASTE AND VENT PIPING TO FLOOR AND CEILING AND PREPARE FOR NEW CONNECTIONS. REMOVE COLD WATER TO MAIN IN CHASE AND PREPARE FOR NEW CONNECTION.
 9. REMOVE URINAL COMPLETE. REMOVE WASTE, VENT AND DOMESTIC COLD WATER PIPING BACK TO MAINS AND CAP.
 10. PREVIOUSLY CAPPED WASTE AND DOMESTIC COLD WATER SERVING PREVIOUSLY REMOVED DRINKING FOUNTAIN TO BE UTILIZED TO SERVE NEW FIXTURE IN SAME APPROXIMATE LOCATION.
 11. REMOVE LAVATORY COMPLETE. REMOVE WASTE AND VENT PIPING TO FLOOR AND CEILING AND PREPARE FOR NEW CONNECTIONS. REMOVE HOT AND COLD WATER TO FULL SIZE MAIN SERVING CHASE AND PREPARE FOR NEW CONNECTION.
 12. FIXTURE TO BE REMOVED AND REPLACED. PREPARE WASTE PIPING FOR CONNECTION TO NEW FIXTURE IN SAME APPROXIMATE LOCATION.
 13. FIXTURE TO BE REMOVED AND REPLACED. EXISTING WASTE ROUTED UP TO ABOVE FLOOR TO BE UTILIZED.
 14. REMOVE WASTE SERVING FIXTURE COMPLETE TO MAIN AND CAP.
 15. FLOOR DRAIN(S) SERVING SHOWER TO BE REMOVED AND REPLACED. FIELD VERIFY EXACT LOCATION AND QUANTITY.
 16. FIXTURE TO BE INSTALLED IN SAME LOCATION AS PREVIOUSLY REMOVED FIXTURE. EXISTING WASTE ROUTED UP TO ABOVE FLOOR TO BE UTILIZED.
 17. FLOOR DRAIN TO BE REMOVED AND REPLACED.
 18. REMOVE WATER CLOSET COMPLETE. VENT PIPING TO REMAIN. REMOVE COLD WATER PIPING TO MAIN AND PREPARE FOR NEW CONNECTION.
 19. COLD WATER PIPING IN CHASE TO BE REMOVED TO MAIN DROP SERVING CHASE. PREPARE FOR NEW CONNECTION. FIELD VERIFY EXACT ROUTING.
 20. HOT AND COLD WATER PIPING IN CHASE TO BE REMOVED TO MAIN DROP SERVING CHASE. PREPARE FOR NEW CONNECTION. FIELD VERIFY EXACT ROUTING.




KEY PLAN
SCALE: NONE

Revisions		
No.	Date	Description



ALL REPORTS, PLANS, SPECIFICATIONS AND COMPUTER FILES RELATING TO THIS PROJECT ARE THE PROPERTY OF MANDERS MERIGHI PORTADIN FARRELL. MAMP RETAINS ALL COMMON LAW, STATUTE AND OTHER RESERVED RIGHTS INCLUDING THE COPYRIGHT THEREOF. REPRODUCTION OF THE MATERIAL HEREIN OR SUBSTANTIAL USE WITHOUT WRITTEN PERMISSION OF MAMP VIOLATES THE COPYRIGHT LAWS OF THE UNITED STATES AND WILL BE SUBJECT TO LEGAL PROSECUTION.

© 2017, MANDERS MERIGHI PORTADIN FARRELL ARCHITECTS, LLC







Manders Merighi Portadin Farrell Architects, LLC
1138 East Chestnut Avenue | Vineland, New Jersey 08360
p. 856 696 9155 | f. 856 696 9080 | www.mmpfa.com

David G. Manders AIA AI-07220
Lawrence J. Merighi AIA AI-07473
Ronald P. Portadin AIA AI-15028
Peter W. Farrell AIA AI-13618
Steven T. Graham AIA AI-02011700
Charles Rogerson AIA AI-0184500

Project
ATLANTIC CITY BOARD OF EDUCATION
**UPTOWN SCHOOL
COMPLEX - LOCKER
ROOM RENOVATION**
323 Madison Ave., Atlantic City,
NJ 08401


Drawing		
Scale	Job	Sheet
AS NOTED	25,073	P1.0
Drawn	Date	2 of 3
AJD	12/19/25	

Revisions		
No.	Date	Description




KEYED NOTES:

1. EXTEND AND CONNECT 1" COLD WATER FROM NEW FIXTURE TO EXISTING PIPING. REWORK EXISTING PIPING AS REQUIRED TO ACCOMMODATE NEW FIXTURE.
2. EXTEND AND CONNECT 1/2" HOT AND COLD WATER FROM EXISTING PIPING TO NEW SHOWER. REWORK EXISTING PIPING AS REQUIRED TO ACCOMMODATE NEW FIXTURE. PROVIDE NEW CUSTOM FIELD MEASURED SOLID SURFACE RECEPTOR. UTILIZE EXISTING DRAIN LOCATION.
3. EXTEND AND CONNECT 1 1/2" WASTE AND 3/4" HOT AND COLD WATER FROM EXISTING PIPING TO NEW FIXTURE. PROVIDE THERMOSTATIC MIXING VALVE BELOW FIXTURE. REWORK EXISTING PIPING AS REQUIRED TO ACCOMMODATE NEW FIXTURE.
4. EXTEND AND CONNECT EXISTING 3/4" TEMPERED WATER TO NEW SHOWER FIXTURE IN SAME LOCATION AS EXISTING. REWORK EXISTING PIPING AS REQUIRED TO ACCOMMODATE NEW FIXTURE. VERIFY EXACT QUANTITY AND LOCATION OF SHOWER FIXTURES WITH ARCHITECTURAL PLANS.
5. EXTEND AND CONNECT 1 1/2" WASTE AND 3/4" COLD WATER FROM EXISTING PIPING TO NEW WATER COOLER. REWORK EXISTING PIPING AS REQUIRED TO ACCOMMODATE NEW FIXTURE.
6. URINAL TO BE INSTALLED IN NEW LOCATION ADJACENT TO PREVIOUS FIXTURE LOCATION. EXTEND AND CONNECT 2" WASTE PIPING FROM PREVIOUS LOCATION AT FLOOR TO NEW LAVATORY. EXTEND 3/4" COLD WATER FROM NEW MAIN IN CHASE TO URINAL. EXTEND 1 1/2" VENT DOWN TO URINAL. REWORK EXISTING PIPING AS REQUIRED TO ACCOMMODATE NEW FIXTURE LOCATION.
7. EXTEND AND CONNECT 1 1/2" WASTE AND 3/4" COLD WATER PREVIOUSLY CAPPED TO NEW WATER COOLER. REWORK EXISTING PIPING AS REQUIRED TO ACCOMMODATE NEW CONNECTION.
8. LAVATORY TO BE INSTALLED IN NEW LOCATION ADJACENT TO PREVIOUS FIXTURE LOCATION. EXTEND AND CONNECT 1 1/2" WASTE PIPING FROM PREVIOUS LOCATION AT FLOOR TO NEW LAVATORY. EXTEND 3/4" HOT AND COLD WATER FROM NEW MAIN IN CHASE TO EACH LAVATORY. PROVIDE THERMOSTATIC MIXING VALVE BELOW LAVATORY. EXTEND 1 1/2" VENT DOWN TO LAVATORY. REWORK EXISTING PIPING AS REQUIRED TO ACCOMMODATE NEW FIXTURE LOCATION.
9. PROVIDE NEW FIXTURE IN SAME APPROXIMATE LOCATION AS REMOVED FIXTURE. EXTEND AND CONNECT EXISTING WASTE SERVING REMOVED FIXTURE TO NEW FIXTURE. REWORK EXISTING PIPING AS REQUIRED TO ACCOMMODATE NEW CONNECTION.
10. PROVIDE NEW FIXTURE IN SAME APPROXIMATE LOCATION AS REMOVED FIXTURE. EXISTING WASTE ROUTED UP TO ABOVE FLOOR TO BE UTILIZED.
11. NEW FIXTURE TO BE INSTALLED IN SAME LOCATION AS PREVIOUSLY REMOVED FIXTURE. EXISTING WASTE ROUTED UP TO ABOVE FLOOR TO BE UTILIZED.
12. PROVIDE NEW FLOOR DRAIN IN SAME LOCATION AS EXISTING TO SERVE SHOWERS. REWORK EXISTING PIPING TO ACCOMMODATE NEW CONNECTION.
13. LAVATORY TO BE PROVIDED IN LOCATION ADJACENT TO REMOVED FIXTURE. EXISTING WASTE PIPING ROUTED UP TO PREVIOUSLY REMOVED FIXTURE TO BE UTILIZED.
14. URINAL TO BE PROVIDED IN LOCATION ADJACENT TO REMOVED FIXTURE. EXISTING WASTE PIPING ROUTED UP TO PREVIOUSLY REMOVED FIXTURE TO BE UTILIZED.
15. EXTEND AND CONNECT 3/4" COLD WATER TO NEW HOSE BIBB. PROVIDE IN LOCATION THAT MAINTAINS ADA REQUIREMENTS.
16. PROVIDE NEW FLOOR DRAIN IN SAME LOCATION AS EXISTING. REWORK EXISTING PIPING TO ACCOMMODATE NEW CONNECTION.
17. EXTEND AND CONNECT 3/4" HOT WATER, 3/4" COLD WATER, AND 1 1/2" VENT TO EXISTING MAINS SERVING CHASE. PROVIDE ISOLATION VALVES. EXTEND FULL SIZE IN CHASE. FIELD VERIFY EXACT SIZE AND LOCATION OF EXISTING. REWORK EXISTING PIPING AS REQUIRED. PROVIDE 12X12 LOCKABLE ACCESS PANEL IN WALL AS REQUIRED TO ACCESS VALVES. CONCEAL ACCESS PANEL TO GREATEST EXTENT.
18. EXTEND AND CONNECT 2" VENT AND 1 1/2" COLD WATER TO EXISTING MAINS SERVING CHASE. PROVIDE ISOLATION VALVE. EXTEND FULL SIZE IN CHASE. FIELD VERIFY EXACT SIZE AND LOCATION OF EXISTING. REWORK EXISTING PIPING AS REQUIRED. PROVIDE 12X12 LOCKABLE ACCESS PANEL IN WALL AS REQUIRED TO ACCESS VALVE. CONCEAL ACCESS PANEL TO GREATEST EXTENT.
19. CONNECT 2" VENT TO EXISTING VENT SERVING WATER CLOSET. FIELD VERIFY EXACT SIZE AND LOCATION. REWORK EXISTING PIPING AS REQUIRED.
20. CONNECT 2" VENT TO EXISTING VENT SERVING FIXTURE. EXTEND AND CONNECT 1" COLD WATER FROM NEW MAIN TO FIXTURE. PROVIDE WATER HAMMER ARRESTOR.
21. EXISTING MASTER CONTROL VALVE SERVING SINGLE TEMPERATURE WATER TO SHOWERS TO REMAIN. PIPING SERVING SHOWERS TO REMAIN. PROVIDE CUSTOM CONTINUOUS STAINLESS STEEL PANELING ACROSS ENTIRETY OF SHOWER WALL IN THIS ROOM TO CONCEAL PIPING ALONG WALL. FIELD VERIFY EXACT LOCATION AND QUANTITY OF SHOWERHEADS AS REQUIRED FOR CUSTOM STEEL PANELING.




WASTE AND VENT RISER DIAGRAM
SCALE: NONE

BELOW FIRST FLOOR PLUMBING PLAN
SCALE: 1/4" = 1'-0"



DOMESTIC WATER RISER DIAGRAM
SCALE: NONE

FIRST FLOOR PLUMBING PLAN
SCALE: 1/4" = 1'-0"




KEY PLAN
SCALE: NONE



ALL REPORTS, PLANS, SPECIFICATIONS AND COMPUTER FILES RELATING TO THIS PROJECT ARE THE PROPERTY OF MANDERS MERIGHI PORTADIN FARRELL. MAMP RETAINS ALL COMMON LAW, STATUTE AND OTHER RESERVED RIGHTS INCLUDING THE COPYRIGHT THEREOF. REPRODUCTION OF THE MATERIAL HEREIN OR SUBSTANTIAL USE WITHOUT WRITTEN PERMISSION OF MAMP VIOLATES THE COPYRIGHT LAWS OF THE UNITED STATES AND WILL BE SUBJECT TO LEGAL PROSECUTION.

© 2017, MANDERS MERIGHI PORTADIN FARRELL ARCHITECTS, LLC



Manders Merighi Portadin Farrell Architects, LLC
1134 East Chestnut Avenue | Vineland, New Jersey 08360
p. 856 696 9155 | f. 856 696 9080 | www.mmpfa.com

David G. Manders AIA AI-07220
Lawrence J. Merighi AIA AI-07473
Ronald P. Portadin AIA AI-15038
Peter W. Farrell AIA AI-13618
Steven T. Graham AIA AI-02011700
Charles Responde AIA AI-0184500

Project
ATLANTIC CITY BOARD OF EDUCATION
**UPTOWN SCHOOL
COMPLEX - LOCKER
ROOM RENOVATION**
323 Madison Ave., Atlantic City,
NJ 08401

Drawing
FIRST FLOOR
PLUMBING PLANS

Scale	Job	Sheet
AS NOTED	25,073	P2.0
Drawn	Date	3 of 3
AJD	12/19/25	